

**GSFC JPSS CMO
October 3, 2014
Released**

Effective Date: October 02, 2014
Block/Revision 0124C

**Joint Polar Satellite System (JPSS) Ground Project
Code 474
474-00001-04-03-B0124**

**Joint Polar Satellite System (JPSS)
Common Data Format Control Book –
External (CDFCB-X)
Volume IV - Part III
- Land and Ocean/Water EDRs**

For Public Release

The information provided herein does not contain technical data as defined in the International Traffic in Arms Regulations (ITAR) 22 CFC 120.10. This document has been approved For Public Release to the NOAA Comprehensive Large Array-data Stewardship System (CLASS).

Block 1.2.4



National Aeronautics and
Space Administration

**Goddard Space Flight Center
Greenbelt, Maryland**

Joint Polar Satellite System (JPSS) Common Data Format Control Book - External Volume IV Part 3 - Land and Ocean/Water EDRs

JPSS Electronic Signature Page

Prepared By:

Joe Stevens
Mission Systems Engineer
Deputy for Integration Joint Polar Satellite System Ground Project
(Electronic Approvals available online at https://jpssmis.gsfc.nasa.gov/mainmenu_dsp.cfm)

Approved By:

Rob Morgenstern
JPSS Ground Project Mission Systems Engineering Manager
(Electronic Approvals available online at https://jpssmis.gsfc.nasa.gov/mainmenu_dsp.cfm)

**Goddard Space Flight Center
Greenbelt, Maryland**

Preface

This document is under JPSS Ground ERB configuration control. Once this document is approved, JPSS approved changes are handled in accordance with Class I and Class II change control requirements as described in the JPSS Configuration Management Procedures, and changes to this document shall be made by complete revision.

Any questions should be addressed to:

JPSS Configuration Management Office
NASA/GSFC
Code 474
Greenbelt, MD 20771

Change History Log

Revision	Effective Date	Description of Changes (Reference the CCR & CCB/ERB Approval Date; for first Block Version Release, identify origin of document source)	Sections Affected
0124-	Dec 04, 2013	This version incorporates Rev B of 474-00001-04-03-B0123, dated July 02, 2013, to create the baseline for Block 1.2.4, Rev-. This was approved (out of board) by the JPSS Ground ERB via 474-CCR-13-1281 on the effective date shown.	All
0124A	Jan 30, 2014	This version incorporates 474-CCR-14-1494 (ECR-CGS-0286). This was approved by the JPSS Ground ERB on the effective date shown.	All
0124A-1	Apr 21, 2014	This version incorporates 474-CCR-14-1652 (ECR-CGS-0324). This was approved by the JPSS Ground ERB on the effective date shown.	Table 5.4.7.2-2 Table 5.4.6.2-2
0124B	May 01, 2014	This version incorporates 0124A-1 and 474-CCR-14-1675. This was approved on the effective date shown.	All
0124B-1	Jul 24, 2014	This version incorporates 474-CCR-14-1854 (ECR-CGS-0372). This was approved by the JPSS Ground ERB on the effective date shown	Table 5.5.1.2.1-1 Table 5.5.1.2.2-1
0124C	Oct 02, 2014	This version incorporates 0124B-1 and 474-CCR-14-1988. This was approved by the JPSS Ground ERB on the effective date shown.	All

Northrop Grumman Space & Mission Systems Corp.
Space Technology
One Space Park
Redondo Beach, CA 90278



Engineering & Manufacturing Development (EMD)
Phase
Acquisition & Operations Contract

CAGE NO. 11982

**NPOESS Common Data Format Control Book - External
Volume IV - Part III - Land and Ocean/Water EDRs**

Document Date: 04/16/2010 **Document Number: D34862-04-03**
Revision: F

CDRL A014

Point of Contact: _____
Ron Andrews, SE&I IPT

ELECTRONIC APPROVAL SIGNATURES:

Clark Snodgrass, SEITO Director

Fabrizio Pela, SE&I IPT Lead

Bill Sullivan, Ground Segments IPT Lead

Mary Ann Chory Space Segment IPT Lead

Ben James Operations and Support IPT Lead



Dave Vandervoet, NPOESS Program Manager



Prepared by
Northrop Grumman Space Technology
One Space Park
Redondo Beach, CA 90278

Prepared for
Department of the Air Force
NPOESS Integrated Program Office
C/O SMC/CIK
2420 Vela Way, Suite 1467-A8
Los Angeles AFB, CA 90245-4659

Under
Contract No. F04701-02-C-0502

DISTRIBUTION STATEMENT F: Distribution statement "F" signifies that further dissemination should only be made as directed by the controlling DoD Office (NPOESS IPO). Ref DODD 5230.24.

Northrop Grumman Space & Mission Systems Corp. Space Technology One Space Park Redondo Beach, CA 90278		 	
Revision/Change Record			For Document No. D34862-04- 03
Revision	Document Date	Revision/Change Description	Pages Affected
---	10/21/2005	Incorporation of the following ECRs: ECR 446C provides the Revision --- (initial submission) of this document. The following ECRs are included in this revision: <ul style="list-style-type: none"> • D34659 CIS ICD ECR 216C - Initial "Draft" Release • D31400-10 SARSAT System OPSCON SYS-020-060 ECR 229B - Rev A • SY15-0007 System Specification ECR 274A - Active Fires classification to an ARP • D34659 CIS ICD ECR 290C - Rev A • D37005 NPP EDR-PR v1.8 ECR 431B - Requirements Updates • D34862-01 CDFCB-X Vol. I ECR 445B - Rev A • D34862-04-03 CDFCB-X Vol. IV Part 3 ECR 446C - Initial Release 	All
A	09/10/2007	Incorporation of the following DCOs and ECRs: ECR 617A provides the Revision A of this document. The following ECRs/DCOs are included in this revision: <ul style="list-style-type: none"> • ECR 515B, NPOESS Restructure Baseline • DCO A1 D34862-04-03 CDFCB-X Vol. IV Part 3 ECR 501C - Net Heat Flux EDR • ECR 530C, Two Sensor EDRs • DCO A2 D34862-04-03 CDFCB-X Vol. IV Part 3 ECR 588 - VIIRS Vegetation Index and Surface Type EDR • DCO A3 D34862-04-03 CDFCB-X Vol. IV Part 3 ECR 593A - OCC and SIC EDR • DCO A4 D34862-04-03 CDFCB-X Vol. IV Part 3 ECR 599A - VIIRS IST, LST, and SST EDR • DCO A5 D34862-04-03 CDFCB-X Vol. IV Part 3 ECR 611B - VIIRS Snow Cover EDRs <ul style="list-style-type: none"> ○ Incorporated ECR A-121A, VIIRS Snow Cover Update • ECR 617A CIDP CDFCB-X Vol. III and Vol. IV This revision also incorporates updates to the following: <ul style="list-style-type: none"> • Product Profile consistency updates 	All

Northrop Grumman Space & Mission Systems Corp. Space Technology One Space Park Redondo Beach, CA 90278		 	
Revision/Change Record			For Document No. D34862-04-03
Revision	Document Date	Revision/Change Description	Pages Affected
B	07/07/2008	Incorporation of the following DCOs and ECRs: ECR 779A provides the Revision B of this document. The following ECRs/DCOs are included in this revision: <ul style="list-style-type: none"> • DCO B1 D34862-04-03 CDFCB-X Vol. IV Part 3 ECR 677B - SST and OCC EDR Updates • DCO B2 D34862-04-03 CDFCB-X Vol. IV Part 3 ECR 708B - Update of the VIIRS & CrIMSS EDR Geo Prod. Profile XML for the CDFCB-X Vol. IV • DCO B3 D34862-04-03 CDFCB-X Vol. IV Part3 ECR 751A - Update of the VIIRS EDR Prod. Profile XML 	All
C	01/23/2009	Incorporation of the following DCOs and ECRs: ECR 898B provides Rev C. This rev incorporates the following DCO and ECR: <ul style="list-style-type: none"> • DCO C1 D34862-04-03 CDFCB-X Vol. IV Part 3 ECR 876 - Clean up of Clerical Error 	All
D	06/04/2009	ECR 959A provides Rev D of this document. No DCOs have been incorporated into this revision.	All
E	12/09/2009	ECR 1014A incorporates the following changes: <ul style="list-style-type: none"> • Incorporated ECR A-251B, VIIRS SDR Cal & Geolocation Updates • Added (N=Number of Granules) to Aggregate Dimension column in the Product Data Content Summary tables throughout the document based on user request for clarity as to what 'N' is • Updated NHF QF definition to reference MIS in lieu of CMIS • Updated XML Product Profiles based on redlines to accompany document <ul style="list-style-type: none"> ○ D34862-04-03_NPOESS-CDFCB-X-Vol-IV-Part-3_E_VIIRS-NHF-EDR-PP.xml ○ D34862-04-03_NPOESS-CDFCB-X-Vol-IV-Part-3_E_VIIRS-NHF-EDR-GEO-PP.xml 	4, 17, 25, 36, 45, 56, 68, 78, 90, 91, 95, 97, 102, 103, 107, 131



Northrop Grumman Space & Mission Systems Corp. Space Technology One Space Park Redondo Beach, CA 90278		 	
Revision/Change Record			For Document No. D34862-04- 03
Revision	Document Date	Revision/Change Description	Pages Affected
F	04/16/2010	ECR 1061D incorporates the following updates: <ul style="list-style-type: none"> • Removal of Availability Conditions throughout • Updated valid RangeMin/Max values for scaled products to align with CDFCB-X Volume I <ul style="list-style-type: none"> ○ VIIRS Land Surface Temperature EDR ○ VIIRS Snow Cover Fraction EDR ○ VIIRS Surface Type EDR ○ VIIRS Vegetation Index EDR ○ VIIRS Sea Surface Temperature ○ VIIRS Ice Surface Temperature • Updates to various quality flag descriptions, values, and Quality Summary metadata based on IPAC/Bubble testing results <ul style="list-style-type: none"> ○ VIIRS Land Surface Temperature EDR ○ VIIRS Snow Cover Binary Map ○ VIIRS Snow Cover Fraction ○ VIIRS Surface Type EDR ○ VIIRS Vegetation Index EDR ○ VIIRS Sea Surface Temperature EDR ○ VIIRS Ice Surface Temperature EDR ○ VIIRS Net Heat Flux EDR ○ VIIRS Ocean Color/Chlorophyll EDR ○ VIIRS Sea Ice Characterization EDR • Updated Net Heat Flux fill values - these fill values do not follow the standard convention as the convention conflicts with valid data values • Made Granule Size nomenclature consistent - 'Estimated Granule Size' throughout • Updated XML Product Profiles to match the redlines • Incorporation of Algorithm ECR A-277E, Sea Ice Age EDR Update - Table 5.5.7.2.2-2, VIIRS Sea Ice Characterization Product Profile - Quality Flags - updated Input data QF description in QF1 • Updated QF2 description for VIIRS SST EDR and VIIRS NHF EDR based on EDRPR approved updates, ECR A-297E 	pp. 3, 14, 34, 44, 53, 55, 65, 76, 106, 130 pp. 5, 26, 38, 45, 57, 69 pp. 10-11, 23, 32-33, 40, 43, 52, 63, 74-75, 87-91, 93, 119-120, 124-125, 132, 137 pp. 77, 81-84 pp. 3, 16, 24, 34, 44, 55, 67, 76, 98, 106, 130 p. 133 p. 59

Table of Contents

5.4	Land Environmental Data Records.....	1
5.4.1	DELETED.....	2
5.4.2	Land Surface Temperature.....	3
5.4.3	DELETED.....	12
5.4.4	DELETED.....	13
5.4.5	Snow Cover/Depth	14
5.4.6	VIIRS Surface Type EDR	34
5.4.7	VIIRS Vegetation Index	45
5.5	Ocean/Water Environmental Data Records.....	54
5.5.1	Sea Surface Temperature	54
5.5.2	DELETED.....	66
5.5.3	Ice Surface Temperature	67
5.5.4	Net Heat Flux	78
5.5.5	Ocean Color/Chlorophyll	112
5.5.6	DELETED.....	135
5.5.7	Sea Ice Characterization	136
5.5.8	DELETED.....	146

List of Figures

Figure 5.4.2.3-1, VIIRS Land Surface Temperature EDR HDF5 UML Diagram	10
Figure 5.4.5.2.1.3-1, VIIRS Snow Cover Binary Map HDF5 UML Diagram	22
Figure 5.4.5.2.2.3-1, VIIRS Snow Cover Fraction HDF5 UML Diagram	32
Figure 5.4.6.3-1, VIIRS Surface Type EDR HDF5 UML Diagram	43
Figure 5.4.7.3-1, VIIRS Vegetation Index HDF5 UML Diagram	52
Figure 5.5.1.2.3-1, VIIRS Sea Surface Temperature EDR HDF5 UML Diagram.....	64
Figure 5.5.3.2.3-1, VIIRS Ice Surface Temperature EDR HDF5 UML Diagram	76
Figure 5.5.4.3-1, VIIRS Net Heat Flux UML Diagram.....	96
Figure 5.5.4.7-1, VIIRS Net Heat Flux Geolocation UML Diagram.....	110
Figure 5.5.5.3-1, VIIRS Ocean Color Chlorophyll HDF5 UML Diagram	131
Figure 5.5.7.2.3-1, VIIRS Sea Ice Characterization HDF5 UML Diagram	144

List of Tables

Table 5.4.2.2-1, VIIRS Land Surface Temperature EDR Product Profile 5

Table 5.4.2.2-2, VIIRS Land Surface Temperature EDR Product Profile - Quality Flags 6

Table 5.4.2.2-3, VIIRS Land Surface Temperature EDR Product Profile - Factors 9

Table 5.4.2.4-1, VIIRS Land Surface Temperature EDR
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values 10

Table 5.4.5.2.1.1-1, VIIRS Snow Cover Binary Map Data Content Summary 17

Table 5.4.5.2.1.2-1, VIIRS Snow Cover Binary Map Product Profile 18

Table 5.4.5.2.1.2-2, VIIRS Snow Cover Binary Map Product Profile - Quality Flags 19

Table 5.4.5.2.1.4-1, VIIRS Snow Cover Binary Map
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values 22

Table 5.4.5.2.2.1-1, VIIRS Snow Cover Fraction Data Content Summary 25

Table 5.4.5.2.2.2-1, VIIRS Snow Cover Fraction Product Profile 26

Table 5.4.5.2.2.2-2, VIIRS Snow Cover Fraction Product Profile - Quality Flags 28

Table 5.4.5.2.2.2-3, VIIRS Snow Cover Fraction Product Profile - Factors 31

Table 5.4.5.2.2.4-1, VIIRS Snow Cover Fraction
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values 32

Table 5.4.6-1, Land Cover Classifications 35

Table 5.4.6.1-1, VIIRS Surface Type EDR Data Content Summary 36

Table 5.4.6.2-1, VIIRS Surface Type EDR Product Profile 37

Table 5.4.6.2-2, VIIRS Surface Type EDR Product Profile - Quality Flags 40

Table 5.4.6.2-3, VIIRS Surface Type EDR Product Profile - Factors 42

Table 5.4.6.4-1, VIIRS Surface Type EDR
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values 44

Table 5.4.7.1-1, VIIRS Vegetation Index Data Content Summary 46

Table 5.4.7.2-1, VIIRS Vegetation Index Product Profile 47

Table 5.4.7.2-2, VIIRS Vegetation Index Product Profile - Quality Flags 48

Table 5.4.7.2-3, VIIRS Vegetation Index Product Profile - Factors 51

Table 5.4.7.4-1, VIIRS Vegetation Index
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values 52

Table 5.5.1.2.1-1, VIIRS Sea Surface Temperature EDR Data Content Summary 57

Table 5.5.1.2.2-1, VIIRS Sea Surface Temperature EDR Product Profile 58

Table 5.5.1.2.2-2, VIIRS Sea Surface Temperature EDR Product Profile - Quality Flags
 60

Table 5.5.1.2.2-3, VIIRS Sea Surface Temperature EDR Product Profile - Factors 63

Table 5.5.1.2.4-1, VIIRS Sea Surface Temperature EDR
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values 65

Table 5.5.3.2.1-1, VIIRS Ice Surface Temperature EDR Data Content Summary 69

Table 5.5.3.2.2-1, VIIRS Ice Surface Temperature EDR Product Profile 71

Table 5.5.3.2.2-2, VIIRS Ice Surface Temperature EDR Product Profile - Quality Flags 72

Table 5.5.3.2.2-3, VIIRS Ice Surface Temperature EDR Product Profile - Factors 75

Table 5.5.3.2.4-1, VIIRS Ice Surface Temperature EDR
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values 76

Table 5.5.4.1-1, Net Heat Flux Data Content Summary 80

Table 5.5.4.2-1, Net Heat Flux Product Profile - Flux Values 83

Table 5.5.4.2-2, Net Heat Flux Product Profile - Quality Flags 91

Table 5.5.4.4-1, VIIRS NHF N_Quality_Summary Granule Level Metadata Values 97

Table 5.5.4.5-1, Net Heat Flux Geolocation Data Content Summary 99

Table 5.5.4.6-1, Net Heat Flux Geolocation Product Profile Summary 102

Table 5.5.4.6-2, Net Heat Flux Geolocation Product Profile - Quality Flags 108

Table 5.5.4.8-1, VIIRS NHF Geolocation N_Quality_Summary Granule Level Metadata
 Values 111

Table 5.5.5.1-1, VIIRS Ocean Color Chlorophyll Data Content Summary 113

Table 5.5.5.2-1, VIIRS Ocean Color Chlorophyll Product Profile 115

Table 5.5.5.2-2, VIIRS Ocean Color Chlorophyll Product Profile - Quality Flags 124

Table 5.5.5.4-1, VIIRS Ocean Color Chlorophyll
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values 132

Table 5.5.7.2.1-1, VIIRS Sea Ice Characterization Data Content Summary 138

Table 5.5.7.2.2-1, VIIRS Sea Ice Characterization Product Profile 140

Table 5.5.7.2.2-2, VIIRS Sea Ice Characterization Product Profile - Quality Flags 141

Table 5.5.7.2.4-1, VIIRS Sea Ice Characterization
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values 145

5.4 Land Environmental Data Records

For an overview of the CDFCB-X and the list of reference documents, see the JPSS CDFCB-X Vol. I - Overview, 474-00001-01. For an introduction to this volume, see the JPSS CDFCB-X, Vol. IV, Pt. 1 - IPs, ARPs, and Geolocation Data, 474-00001-04-01.

5.4.1 DELETED

5.4.2 Land Surface Temperature

Data Mnemonic	EDRE-VLST-C0030 (Official) EDRE-VLST-C0031 (Substitute)
Description/ Purpose	The VIIRS LST algorithms are based on physical regression methods to retrieve skin LST. They use radiances sensed by VIIRS Infrared (IR) channels. Land Surface Temperature (LST) is defined as the skin temperature of the uppermost layer of the land surface. The LST EDR is required only for horizontal cells that are categorized as “confidently clear” by the cloud mask. Sensors: VIIRS Effectivity: NPP and NPOESS
File-Naming Construct	See the JPSS CDFCB-X Vol. I, 474-00001-01, Section 3.4 for details.
File Size	Estimated Granule Size: 11.72 MiB This granule size includes VIIRS Land Surface Temperature EDR related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.
File Format Type	HDF5
Data Content and Data Format	See Section 5.4.2.1, VIIRS Land Surface Temperature EDR Data Content Summary See Section 5.4.2.2, VIIRS Land Surface Temperature EDR Product Profile See Section 5.4.2.3, VIIRS Land Surface Temperature EDR HDF5 Details See Section 5.4.2.4, VIIRS Land Surface Temperature EDR HDF5 Metadata Details See Section 5.4.2.5, VIIRS Land Surface Temperature EDR Geolocation Details

5.4.2.1 VIIRS Land Surface Temperature EDR Data Content Summary

Table 5.4.2.1-1, VIIRS Land Surface Temperature EDR Data Content Summary

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
LandSurfaceTemperature	Land Surface Temperature	unsigned 16-bit integer	[N*768, 3200]	[768, 3200]	kelvin
QF1_VIIRSLSTEDR	Pixel level Quality Flags	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF2_VIIRSLSTEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF3_VIIRSLSTEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
LSTFactors	Scale = First Array Element; Offset = 2nd Array Element	32-bit floating point	[N*2]	[2]	scale = unitless; offset = kelvin

5.4.2.2 VIIRS Land Surface Temperature EDR Product Profile

Table 5.4.2.2-1, VIIRS Land Surface Temperature EDR Product Profile

Fields												
Name	Data Size	Dimensions										
LandSurfaceTemperature	2byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
			Datum									
	Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
	Land Surface Temperature	0	183.20	350.00	kelvin	Yes	LSTFactors	unsigned 16-bit integer	Name	Value	Name	Value
									NA_UINT16_FILL	65535		
									MISS_UINT16_FILL	65534		
									ONBOARD_PT_UINT16_FILL	65533		
									ONGROUND_PT_UINT16_FILL	65532		
								ERR_UINT16_FILL	65531			
								ELINT_UINT16_FILL	65530			
								VDNE_UINT16_FILL	65529			
								SOUB_UINT16_FILL	65528			

Table 5.4.2.2-2, VIIRS Land Surface Temperature EDR Product Profile - Quality Flags

Fields													
Name	Data Size	Dimensions											
QF1_VIIRSLSTEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		LST Quality (Indicates the quality of the pixel level retrieval)	0			unitless	No		2 bit(s)	Name Value	Name	Value	
											High	0	
											Medium	1	
											Low	2	
											No Retrieval	3	
Algorithm (Indicates which algorithm branch was implemented)	2			unitless	No		1 bit(s)	Name Value	Name	Value			
									4-Band Dual Split Window	0			
									2-Band Split Window	1			
Day/Night	3			unitless	No		1 bit(s)	Name Value	Name	Value			
									Night (Solar Zenith Angle > 85 Degrees)	0			
									Day (Solar Zenith Angle <= 85 degrees)	1			
Bad SWIR Pixel (M12 and M13 band data not available)	4			unitless	No		1 bit(s)	Name Value	Name	Value			
									Both Available	0			
									At least one not available	1			
Bad LWIR Pixel (M15 and M16 band data not available)	5			unitless	No		1 bit(s)	Name Value	Name	Value			
									Both Available	0			
									At least one not available	1			

		Exclusion - Fire detected in pixel (from the VIIRS Cloud Mask)	6			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1		
Name	Value																								
False	0																								
True	1																								
Name	Value																								
False	0																								
True	1																								
		Exclusion - Thin Cirrus (Retrieval performance exclusion due to thin cirrus detection by VIIRS Cloud Mask)	7			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1		
Name	Value																								
False	0																								
True	1																								
Name	Value																								
False	0																								
True	1																								
QF2_VIIRSLSTEDR	1byte(s)	<table border="1"><tr><th>Name</th><th>Granule Boundary</th><th>Dynamic</th><th>Min Array Size</th><th>Max Array Size</th></tr><tr><td>AlongTrack</td><td>Yes</td><td>No</td><td>768</td><td>768</td></tr><tr><td>CrossTrack</td><td>No</td><td>No</td><td>3200</td><td>3200</td></tr></table>	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	768	768	CrossTrack	No	No	3200	3200								
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																					
AlongTrack	Yes	No	768	768																					
CrossTrack	No	No	3200	3200																					
		Datum																							
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries														
		Degradation - Sensor Zenith Angle > 40 degrees	0			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1		
Name	Value																								
False	0																								
True	1																								
Name	Value																								
False	0																								
True	1																								
		Out of Expected Range - The LST derived from the algorithm is outside of the NPOESS System Specification Validated Range defined by 213K < BT(M16) < 343K	1			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1		
Name	Value																								
False	0																								
True	1																								
Name	Value																								
False	0																								
True	1																								
		Cloud Confidence Indicator	2			unitless	No		2 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Confidently Clear</td><td>0</td></tr><tr><td>Probably Clear</td><td>1</td></tr><tr><td>Probably Cloudy</td><td>2</td></tr><tr><td>Confidently Cloudy</td><td>3</td></tr></table>	Name	Value	Confidently Clear	0	Probably Clear	1	Probably Cloudy	2	Confidently Cloudy	3					
Name	Value																								
Confidently Clear	0																								
Probably Clear	1																								
Probably Cloudy	2																								
Confidently Cloudy	3																								
		Exclusion: AOT > 1.0 (AOT in horizontal cell > 1.0 on the slant path (AOT @550nm))	4			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1		
Name	Value																								
False	0																								
True	1																								
Name	Value																								
False	0																								
True	1																								
		Exclusion - Horizontal Cell Size > 1.3km (HCS > 1.3 km, swath width > 1700 km, Sensor Zenith Angle > 53.0 degrees)	5			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1		
Name	Value																								
False	0																								
True	1																								
Name	Value																								
False	0																								
True	1																								
		Sun Glint in pixel (as indicated in the VIIRS Cloud	6			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr></table>	Name	Value	False	0	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr></table>	Name	Value	False	0						
Name	Value																								
False	0																								
Name	Value																								
False	0																								

		Mask)										True	1
		Inside Terminator (85 deg < Solar Zenith Angle <= 100 deg)	7			unitless	No		1 bit(s)			Name	Value
												Name	Value
												False	0
												True	1
QF3_VIIRSLSTEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Land/Water Background	0			unitless	No		3 bit(s)	Name	Value	Name	Value
												Land and Desert	0
												Land/No Desert	1
												Inland Water	2
												Sea Water	3
												Coastal	5
		Surface Type (of the LST Retrieval)	3			unitless	No		5 bit(s)	Name	Value	Name	Value
												Evergreen Needleleaf Forests	1
												Evergreen Broadleaf Forests	2
												Deciduous Needleleaf Forests	3
												Deciduous Broadleaf Forests	4
												Mixed Forests	5
												Closed Shrublands	6
												Open Shrublands	7
												Woody Savannahs	8
												Savannahs	9
												Grasslands	10
												Permanent Wetlands	11
												Croplands	12
												Urban and Build-up	13
												Cropland/Natural Vegetation Mosaics	14
												Snow and Ice	15
												Barren	16
												Water	17
												Fill	31

Table 5.4.2.2-3, VIIRS Land Surface Temperature EDR Product Profile - Factors

		Fields									
Name	Data Size	Dimensions									
LSTFactors	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
		Granule	Yes	No	2	2					
		Datum									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries
Scale = First Array Element; Offset = 2nd Array Element	0			scale = unitless; offset = kelvin	No		32-bit floating point	Name Value	Name Value		

5.4.2.3 VIIRS Land Surface Temperature EDR HDF5 Details

Figure 5.4.2.3-1, VIIRS Land Surface Temperature EDR UML Diagram, provides details on the contents and data types of the Land Surface Temperature EDR product. This UML provides details at the product level detail only. In addition to this UML, refer to the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Figure 1.2.1-1, Generalized UML Diagram for statically sized HDF5 IP/EDR Files, for a complete UML rendering of this product.

VIIRS-LST-EDR
+LandSurfaceTemperature : H5T_NATIVE_USHORT
+QF1_VIIRSLSTEDR : H5T_NATIVE_UCHAR
+QF2_VIIRSLSTEDR : H5T_NATIVE_UCHAR
+QF3_VIIRSLSTEDR : H5T_NATIVE_UCHAR
+LSTFactors : H5T_NATIVE_FLOAT

Figure 5.4.2.3-1, VIIRS Land Surface Temperature EDR HDF5 UML Diagram

5.4.2.4 VIIRS Land Surface Temperature EDR HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Land Surface Temperature EDR are listed in the JPSS CDFCB-X Vol. V, 474-00001-05. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.4.2.4-1, VIIRS Land Surface Temperature EDR N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Land Surface Temperature EDR.

Table 5.4.2.4-1, VIIRS Land Surface Temperature EDR N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values

N_Quality_Summary			
Name	Value	Description	Notes
Land Surface Temperature EDR Summary Quality	0 - 100	Percent of pixels within granule with high quality of retrieval	

N_Quality_Summary			
Name	Value	Description	Notes
Exclusion Summary	0 - 100	Percent of pixels with excluded conditions	
Summary Range Check	0 - 100	Percent of retrieved pixels outside of expected range (213K to 343K)	
SDR Input Data Quality	0 - 100	Percent of pixels with high quality input values of brightness temperature in VIIRS SDR	
Surface Type Input Data Quality	0 - 100	Percent of pixels with high quality input values for Surface Type	
VCM Input Data Quality	0 - 100	Percent of pixels with high quality input values for the VIIRS Cloud Mask	
AOT Input Data Quality	0 - 100	Percent of pixels with high quality input values for AOT (valid only during day)	
No Land Coverage	0	At least one land pixel in granule	
	1	No land pixels in granule	

5.4.2.5 VIIRS Land Surface Temperature EDR Geolocation Details

VIIRS Land Surface Temperature is produced on the VIIRS Moderate Resolution Geolocation - Terrain Corrected. See the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Section 4.9.5, VIIRS Moderate Resolution Geolocation - Terrain Corrected for details.

5.4.3 DELETED

5.4.4 DELETED

5.4.5 Snow Cover/Depth

The Snow Cover/Depth EDR provides the horizontal and vertical extent of snow cover. In addition, a binary product will give a “snow/no snow” flag.

A cell is clear for the Snow Cover/Depth EDR if it is classified as “confidently clear” by the cloud mask.

Sensors	VIIRS
Effectivity	For NPP, only the VIIRS EDR is available
EDR Contents	For each pixel, the Snow Cover/Depth EDR contains: Snow fraction data Weight data Quality flags

5.4.5.1 DELETED

5.4.5.2 VIIRS Snow Cover

The VIIRS Snow Cover data product is separated into two deliverable EDRs, the VIIRS Snow Cover Binary Map and the VIIRS Snow Cover Fraction EDRs. The data format definitions for these two products are provided in the following sections.

5.4.5.2.1 VIIRS Snow Cover Binary Map

Data Mnemonic	EDRE-SNCD-C1035 (Official) EDRE-SNCD-C1036 (Substitute)
Description/ Purpose	The Snow Cover Binary Map EDR is a snow/no snow binary map which classifies a pixel as snow or no snow from its values of Normalized Difference Snow Index (NDSI) and Normalized Difference Vegetation Index (NDVI). The Snow Cover Binary Map is at the VIIRS imagery resolution.
File-Naming Construct	See the JPSS CDFCB-X Vol. I, 474-00001-01, Section 3.4 for details.
File Size	Estimated Granule Size: 37.5 MiB This granule size includes VIIRS Snow Cover Binary Map related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.
File Format Type	HDF5
Production Frequency	As per request
Data Content and Data Format	See Section 5.4.5.2.1.1, VIIRS Snow Cover Binary Map Data Content Summary See Section 5.4.5.2.1.2, VIIRS Snow Cover Binary Map Product Profile See Section 5.4.5.2.1.3, VIIRS Snow Cover Binary Map HDF5 Details See Section 5.4.5.2.1.4, VIIRS Snow Cover Binary Map HDF5 Metadata Details See Section 5.4.5.2.1.5, VIIRS Snow Cover Binary Map Geolocation Details

5.4.5.2.1.1 VIIRS Snow Cover Binary Map Data Content Summary

Table 5.4.5.2.1.1-1, VIIRS Snow Cover Binary Map Data Content Summary

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
SnowCoverBinaryMap	Snow Cover Binary Map	unsigned 8-bit char	[N*1536, 6400]	[1536, 6400]	units
QF1_VIIRSSCDBINARYSNOWMAPE DR	Pixel Level Quality Flags	unsigned 8-bit char	[N*1536, 6400]	[1536, 6400]	units
QF2_VIIRSSCDBINARYSNOWMAPE DR		unsigned 8-bit char	[N*1536, 6400]	[1536, 6400]	units
QF3_VIIRSSCDBINARYSNOWMAPE DR		unsigned 8-bit char	[N*1536, 6400]	[1536, 6400]	units

5.4.5.2.1.2 VIIRS Snow Cover Binary Map Product Profile

Table 5.4.5.2.1.2-1, VIIRS Snow Cover Binary Map Product Profile

Fields													
Name	Data Size	Dimensions											
SnowCoverBinaryMap	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	1536	1536							
		CrossTrack	No	No	6400	6400							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Snow Cover Binary Map	0			unitless	No		unsigned 8-bit char	Name	Value	Name	Value
										NA_UINT8_FILL	255	Not a Snow Pixel	0
										MISS_UINT8_FILL	254		
										ONBOARD_PT_UINT8_FILL	253		
										ONGROUND_PT_UINT8_FILL	252	Snow Pixel	1
								ERR_UINT8_FILL	251				
								ELINT_UINT8_FILL	250				
								VDNE_UINT8_FILL	249				

Table 5.4.5.2.1.2-2, VIIRS Snow Cover Binary Map Product Profile - Quality Flags

		Fields											
Name	Data Size	Dimensions											
QF1_VIIRSSCDBINARYSNOWMAPEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	1536	1536							
		CrossTrack	No	No	6400	6400							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Overall Pixel Quality	0			unitless	No		2 bit(s)	Name	Value	Name	Value
												High (Green)	0
												Medium (Yellow)	1
												Low (Red)	2
												No Retrieval	3
		Input SDR Quality (I1, I2, I3)	2			unitless	No		1 bit(s)	Name	Value	Name	Value
												Good	0
												Bad	1
		Cloud Confidence	3			unitless	No		2 bit(s)	Name	Value	Name	Value
												Confidently Clear	0
										Probably Clear	1		
										Probably Cloudy	2		
										Confidently Cloudy	3		
Solar Zenith Angle Exclusion (based on solar zenith angle > tunable threshold)	5			unitless	No		1 bit(s)	Name	Value	Name	Value		
										No (no exclusion)	0		
										Yes (exclusion condition)	1		

		Aerosol Optical Thickness Exclusion (based on slant path AOT > tunable threshold)	6			unitless	No		1 bit(s)	Name Value	Name Value
		Snow Fraction Exclusion (based on snow fraction between tunable thresholds)	7			unitless	No		1 bit(s)	Name Value	Name Value
QF2_VIIRSSCDBINARYSNOWMAPEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
		AlongTrack	Yes	No	1536	1536					
		CrossTrack	No	No	6400	6400					
		Datum									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries
		Thin Cirrus (based on VCM thin cirrus quality flag)	0			unitless	No		1 bit(s)	Name Value	Name Value
											No 0
											Yes (thin cirrus detected) 1
		Cloud Shadow	1			unitless	No		1 bit(s)	Name Value	Name Value
											No Cloud Shadow 0
											Cloud Shadow 1
		Cloud Phase	2			unitless	No		2 bit(s)	Name Value	Name Value
											Clear 0
											Water 1
											Ice 2
											Mixed 3

		Forest (VCM indicates Boreal/Conifer forest within the horizontal cell)	4			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1																																																																																																																														
Name	Value																																																																																																																																																				
No	0																																																																																																																																																				
Yes	1																																																																																																																																																				
Name	Value																																																																																																																																																				
No	0																																																																																																																																																				
Yes	1																																																																																																																																																				
		Land/Water	5			unitless	No		2 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Land</td><td>0</td></tr><tr><td>Coastal</td><td>1</td></tr><tr><td>Inland Water</td><td>2</td></tr><tr><td>Ocean</td><td>3</td></tr></table>	Name	Value	Land	0	Coastal	1	Inland Water	2	Ocean	3	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Land</td><td>0</td></tr><tr><td>Coastal</td><td>1</td></tr><tr><td>Inland Water</td><td>2</td></tr><tr><td>Ocean</td><td>3</td></tr></table>	Name	Value	Land	0	Coastal	1	Inland Water	2	Ocean	3																																																																																																																						
Name	Value																																																																																																																																																				
Land	0																																																																																																																																																				
Coastal	1																																																																																																																																																				
Inland Water	2																																																																																																																																																				
Ocean	3																																																																																																																																																				
Name	Value																																																																																																																																																				
Land	0																																																																																																																																																				
Coastal	1																																																																																																																																																				
Inland Water	2																																																																																																																																																				
Ocean	3																																																																																																																																																				
		Sun Glint	7			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1																																																																																																																														
Name	Value																																																																																																																																																				
No	0																																																																																																																																																				
Yes	1																																																																																																																																																				
Name	Value																																																																																																																																																				
No	0																																																																																																																																																				
Yes	1																																																																																																																																																				
QF3_VIIRSSCDBINARYSNOWMAPEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>1536</td> <td>1536</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>6400</td> <td>6400</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	1536	1536	CrossTrack	No	No	6400	6400	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Thermal Threshold Exceeded (based on brightness temperature > tunable threshold)</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td><table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table></td> <td><table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table></td> </tr> <tr> <td>NDSI Quality</td> <td>1</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td><table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table></td> <td><table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table></td> </tr> <tr> <td>NDVI Quality</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td><table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table></td> <td><table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table></td> </tr> <tr> <td>Fire</td> <td>3</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td><table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table></td> <td><table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table></td> </tr> <tr> <td>Spare</td> <td>4</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>4 bit(s)</td> <td><table border="1"><tr><th>Name</th><th>Value</th></tr></table></td> <td><table border="1"><tr><th>Name</th><th>Value</th></tr></table></td> </tr> </tbody> </table>						Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Thermal Threshold Exceeded (based on brightness temperature > tunable threshold)	0			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1	NDSI Quality	1			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table>	Name	Value	Good	0	Bad	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table>	Name	Value	Good	0	Bad	1	NDVI Quality	2			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table>	Name	Value	Good	0	Bad	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table>	Name	Value	Good	0	Bad	1	Fire	3			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1	Spare	4			unitless	No		4 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr></table>	Name	Value	<table border="1"><tr><th>Name</th><th>Value</th></tr></table>	Name	Value
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																																																																																	
AlongTrack	Yes	No	1536	1536																																																																																																																																																	
CrossTrack	No	No	6400	6400																																																																																																																																																	
Datum																																																																																																																																																					
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																																																																																												
Thermal Threshold Exceeded (based on brightness temperature > tunable threshold)	0			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1																																																																																																																																
Name	Value																																																																																																																																																				
No	0																																																																																																																																																				
Yes	1																																																																																																																																																				
Name	Value																																																																																																																																																				
No	0																																																																																																																																																				
Yes	1																																																																																																																																																				
NDSI Quality	1			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table>	Name	Value	Good	0	Bad	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table>	Name	Value	Good	0	Bad	1																																																																																																																																
Name	Value																																																																																																																																																				
Good	0																																																																																																																																																				
Bad	1																																																																																																																																																				
Name	Value																																																																																																																																																				
Good	0																																																																																																																																																				
Bad	1																																																																																																																																																				
NDVI Quality	2			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table>	Name	Value	Good	0	Bad	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Good</td><td>0</td></tr><tr><td>Bad</td><td>1</td></tr></table>	Name	Value	Good	0	Bad	1																																																																																																																																
Name	Value																																																																																																																																																				
Good	0																																																																																																																																																				
Bad	1																																																																																																																																																				
Name	Value																																																																																																																																																				
Good	0																																																																																																																																																				
Bad	1																																																																																																																																																				
Fire	3			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>No</td><td>0</td></tr><tr><td>Yes</td><td>1</td></tr></table>	Name	Value	No	0	Yes	1																																																																																																																																
Name	Value																																																																																																																																																				
No	0																																																																																																																																																				
Yes	1																																																																																																																																																				
Name	Value																																																																																																																																																				
No	0																																																																																																																																																				
Yes	1																																																																																																																																																				
Spare	4			unitless	No		4 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr></table>	Name	Value	<table border="1"><tr><th>Name</th><th>Value</th></tr></table>	Name	Value																																																																																																																																								
Name	Value																																																																																																																																																				
Name	Value																																																																																																																																																				

5.4.5.2.1.3 VIIRS Snow Cover Binary Map HDF5 Details

Figure 5.4.5.2.1.3-1, VIIRS Snow Cover Binary Map UML Diagram, provides details on the contents and data types of the Snow Cover Binary Map product. This UML provides details at the product level detail only. In addition to this UML, refer to the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Figure 1.2.1-1, Generalized UML Diagram for statically sized HDF5 IP/EDR Files, for a complete UML rendering of this product.

VIIRS-SCD-BINARY-SNOW-MAP-EDR
+SnowCoverBinaryMap : H5T_NATIVE_UCHAR
+QF1_VIIRSSCDBINARYSNOWMAPEDR : H5T_NATIVE_UCHAR
+QF2_VIIRSSCDBINARYSNOWMAPEDR : H5T_NATIVE_UCHAR
+QF3_VIIRSSCDBINARYSNOWMAPEDR : H5T_NATIVE_UCHAR

Figure 5.4.5.2.1.3-1, VIIRS Snow Cover Binary Map HDF5 UML Diagram

5.4.5.2.1.4 VIIRS Snow Cover Binary Map HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Snow Cover Binary Map EDR are listed in the JPSS CDFCB-X Vol. V, 474-00001-05. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.4.5.2.1.4-1, VIIRS Snow Cover Binary Map N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Snow Cover Binary Map.

Table 5.4.5.2.1.4-1, VIIRS Snow Cover Binary Map N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values

N_Quality_Summary			
Name	Value	Description	Notes
SnowCoverBinaryMap - Summary Quality	0 - 100	Percent of pixels within granule with high quality of retrieval	
Exclusion Summary	0 - 100	Percent of pixels with exclusion conditions	

5.4.5.2.1.5 VIIRS Snow Cover Binary Map Geolocation Details

VIIRS Snow Cover Binary Map is produced on the VIIRS Imagery Resolution Geolocation - Terrain Corrected. See the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Section 4.9.5, VIIRS Moderate Resolution Geolocation - Terrain Corrected, for details.

5.4.5.2.2 VIIRS Snow Cover Fraction

Data Mnemonic	EDRE-SNCD-C1030 (Official) EDRE-SNCD-C1031 (Substitute)
Description/ Purpose	The VIIRS Snow Cover Fraction EDR is output at the VIIRS moderate resolution. The snow cover fraction is based off of the VIIRS Snow Cover Binary Map and is calculated using a 2x2 pixel aggregation of the Snow Binary Map. Up to four imagery resolution snow/no snow pixels are used to calculate the snow fraction for a single moderate resolution pixel. The number of pixels used is provided in the “numberOfAggregatedPixels” field. Only those imagery resolution pixels that are designated as “snow” or “no snow” are used in the calculation. Those snow/no snow imagery resolution pixels that are filled (cloudy condition or other exclusion exists) are not used in the snow fraction calculation and are not counted in the “numberOfAggregatedPixels” field.
File-Naming Construct	See the JPSS CDFCB-X Vol. I, 474-00001-01, Section 3.4 for details.
File Size	Estimated Granule Size: 14.06 MiB This granule size includes VIIRS Snow Cover Fraction related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.
File Format Type	HDF5
Production Frequency	As per request
Data Content and Data Format	See Section 5.4.5.2.2.1, VIIRS Snow Cover Fraction Data Content Summary See Section 5.4.5.2.2.2, VIIRS Snow Cover Fraction Product Profile See Section 5.4.5.2.2.3, VIIRS Snow Cover Fraction HDF5 Details See Section 5.4.5.2.2.4, VIIRS Snow Cover Fraction HDF5 Metadata Details See Section 5.4.5.2.2.5, VIIRS Snow Cover Fraction Geolocation Details

5.4.5.2.2.1 VIIRS Snow Cover Fraction Data Content Summary

Table 5.4.5.2.2.1-1, VIIRS Snow Cover Fraction Data Content Summary

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
SnowCoverFraction	Snow Cover Fraction calculated using the Snow Binary Map	unsigned 16-bit integer	[N*768, 3200]	[768, 3200]	unitless
NumberOfAggregatedPixels	Number of imagery resolution pixels from the snow binary map used to calculate the snow fraction (ranges from 0 to 4)	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF1_VIIRSSCDBINARYSNOWFRACEDR	Pixel Level Quality Flags	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF2_VIIRSSCDBINARYSNOWFRACEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF3_VIIRSSCDBINARYSNOWFRACEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
SnowCoverFractionFactors	Scale = First Array Element; Offset = 2nd Array Element	32-bit floating point	[N*2]	[2]	unitless

5.4.5.2.2 VIIRS Snow Cover Fraction Product Profile

Table 5.4.5.2.2-1, VIIRS Snow Cover Fraction Product Profile

		Fields													
Name	Data Size	Dimensions													
SnowCoverFraction	2byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size									
		AlongTrack	Yes	No	768	768									
		CrossTrack	No	No	3200	3200									
		Datum													
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values			Legend Entries		
		Snow Cover Fraction calculated using the Snow Binary Map	0	0.00	1.00	unitless	Yes	SnowCoverFractionFactors	unsigned 16-bit integer	Name		Value	Legend Entries		
										NA_UINT16_FILL		65535			
										MISS_UINT16_FILL		65534			
										ONBOARD_PT_UINT16_FILL		65533			
										ONGROUND_PT_UINT16_FILL		65532			
ERR_UINT16_FILL										65531					
ELINT_UINT16_FILL										65530					
VDNE_UINT16_FILL										65529					
SOUB_UINT16_FILL		65528													
NumberOfAggregatedPixels	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size									
		AlongTrack	Yes	No	768	768									
		CrossTrack	No	No	3200	3200									
		Datum													
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values			Legend Entries		
		Number of imagery	0			unitless	No		unsigned 8-bit	Name		Value	Legend Entries		

		resolution pixels from the snow binary map used to calculate the snow fraction (ranges from 0 to 4)							char	NA_UINT8_FILL	255	
										MISS_UINT8_FILL	254	
										ONBOARD_PT_UINT8_FILL	253	
										ONGROUND_PT_UINT8_FILL	252	
										ERR_UINT8_FILL	251	
										ELINT_UINT8_FILL	250	
										VDNE_UINT8_FILL	249	

Table 5.4.5.2.2-2, VIIRS Snow Cover Fraction Product Profile - Quality Flags

		Fields										
Name	Data Size	Dimensions										
QF1_VIIRSSCDBINARYSNOWFRACEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
		Datum										
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	
		Overall Pixel Quality	0			unitless	No		2 bit(s)	Name Value	Name	Value
											High (Green)	0
											Medium (Yellow)	1
											Low (Red)	2
											No Retrieval	3
Input SDR Quality (I1, I2, I3)	2			unitless	No		1 bit(s)	Name Value	Name	Value		
									Good	0		
									Bad	1		
Cloud Confidence	3			unitless	No		2 bit(s)	Name Value	Name	Value		
									Confidently Clear	0		
									Probably Clear	1		
									Probably Cloudy	2		
									Confidently Cloudy	3		
Solar Zenith Angle Degradation (based on solar zenith angle between tunable thresholds)	5			unitless	No		1 bit(s)	Name Value	Name	Value		
									No (no degradation)	0		
									Yes (degradation)	1		

		Forest Exclusion (VCM indicates Boreal/Conifer forest within the horizontal cell)	6			unitless	No		1 bit(s)	Name Value	Name Value No 0 Yes 1																																																																		
		Solar Zenith Angle Exclusion (based on solar zenith angle > tunable threshold)	7			unitless	No		1 bit(s)	Name Value	Name Value No (no exclusion) 0 Yes (exclusion condition) 1																																																																		
QF2_VIIRSCDBINARYSNOWFRACEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>768</td> <td>768</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>3200</td> <td>3200</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	768	768	CrossTrack	No	No	3200	3200	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Aerosol Optical Thickness Exclusion (based on slant path AOT > tunable threshold)</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td>Name Value</td> <td>Name Value No (no exclusion) 0 Yes (exclusion condition) 1</td> </tr> <tr> <td>Thin Cirrus (based on VCM thin cirrus quality flag)</td> <td>1</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td>Name Value</td> <td>Name Value No 0 Yes 1</td> </tr> <tr> <td>Cloud Shadow</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td>Name Value</td> <td>Name Value No Cloud Shadow 0 Cloud Shadow 1</td> </tr> </tbody> </table>						Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Aerosol Optical Thickness Exclusion (based on slant path AOT > tunable threshold)	0			unitless	No		1 bit(s)	Name Value	Name Value No (no exclusion) 0 Yes (exclusion condition) 1	Thin Cirrus (based on VCM thin cirrus quality flag)	1			unitless	No		1 bit(s)	Name Value	Name Value No 0 Yes 1	Cloud Shadow	2			unitless	No		1 bit(s)	Name Value	Name Value No Cloud Shadow 0 Cloud Shadow 1
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																									
AlongTrack	Yes	No	768	768																																																																									
CrossTrack	No	No	3200	3200																																																																									
Datum																																																																													
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																				
Aerosol Optical Thickness Exclusion (based on slant path AOT > tunable threshold)	0			unitless	No		1 bit(s)	Name Value	Name Value No (no exclusion) 0 Yes (exclusion condition) 1																																																																				
Thin Cirrus (based on VCM thin cirrus quality flag)	1			unitless	No		1 bit(s)	Name Value	Name Value No 0 Yes 1																																																																				
Cloud Shadow	2			unitless	No		1 bit(s)	Name Value	Name Value No Cloud Shadow 0 Cloud Shadow 1																																																																				

		Cloud Phase	3			unitless	No		2 bit(s)	Name	Value	Name	Value	
												Clear	0	
													Water	1
												Ice	2	
												Mixed	3	
		Land/Water	5			unitless	No		2 bit(s)	Name	Value	Name	Value	
												Land	0	
													Coastal	1
													Inland Water	2
													Ocean	3
		Sun Glint	7			unitless	No		1 bit(s)	Name	Value	Name	Value	
												No	0	
												Yes	1	
QF3_VIIRSSCDBINARYSNOWFRACEDR	1byte(s)	Name		Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack		Yes	No	768	768							
		CrossTrack		No	No	3200	3200							
		Datum												
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries			
		Spare	0			unitless	No		3 bit(s)	Name	Value	Name	Value	
		Fire	3			unitless	No		1 bit(s)	Name	Value	Name	Value	
												No	0	
												Yes	1	
		Spare	4			unitless	No		4 bit(s)	Name	Value	Name	Value	

Table 5.4.5.2.2.2-3, VIIRS Snow Cover Fraction Product Profile - Factors

Fields											
Name	Data Size	Dimensions									
SnowCoverFractionFactors	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
		Granule	Yes	No	2	2					
		Datum									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries
Scale = First Array Element; Offset = 2nd Array Element	0			unitless	No		32-bit floating point	Name Value	Name Value		

5.4.5.2.2.3 VIIRS Snow Cover Fraction HDF5 Details

Figure 5.4.5.2.2.3-1, VIIRS Snow Cover Fraction UML Diagram, provides details on the contents and data types of the Snow Cover Fraction product. This UML provides details at the product level detail only. In addition to this UML, refer to the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Figure 1.2.1-1, Generalized UML Diagram for statically sized HDF5 IP/EDR Files, for a complete UML rendering of this product.

VIIRS-SCD-BINARY-SNOW-FRAC-EDR
+SnowCoverFraction : H5T_NATIVE_USHORT
+NumberOfAggregatedPixels : H5T_NATIVE_UCHAR
+QF1_VIIRSSCDBINARYSNOWFRACEDR : H5T_NATIVE_UCHAR
+QF2_VIIRSSCDBINARYSNOWFRACEDR : H5T_NATIVE_UCHAR
+QF3_VIIRSSCDBINARYSNOWFRACEDR : H5T_NATIVE_UCHAR
+SnowCoverFractionFactors : H5T_NATIVE_FLOAT

Figure 5.4.5.2.2.3-1, VIIRS Snow Cover Fraction HDF5 UML Diagram

5.4.5.2.2.4 VIIRS Snow Cover Fraction HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Snow Cover Fraction EDR are listed in the JPSS CDFCB-X Vol. V, 474-00001-05. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.4.5.2.2.4-1, VIIRS Snow Cover Fraction N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Snow Cover Fraction.

Table 5.4.5.2.2.4-1, VIIRS Snow Cover Fraction N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values

N_Quality_Summary			
Name	Value	Description	Notes
Snow Cover Fraction - Summary Quality	0 - 100	Percent of pixels within granule with high quality of retrieval	

N_Quality_Summary			
Name	Value	Description	Notes
Exclusion Summary	0 - 100	Percent of pixels with exclusion conditions	
Degradation Summary	0 - 100	Percent of pixels with degradation conditions	

5.4.5.2.2.5 VIIRS Snow Cover Fraction Geolocation Details

VIIRS Snow Cover Fraction is produced on the VIIRS Imagery Resolution Geolocation with terrain correction applied. See the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Section 4.9.5, VIIRS Moderate Resolution Geolocation - Terrain Corrected, for details.

5.4.6 VIIRS Surface Type EDR

Data Mnemonic	EDRE-VSTV-C0030 (Official) EDRE-VSTV-C0031 (Substitute)
Description/ Purpose	<p>Surface type is defined as one of the seventeen International Geosphere Biosphere Program (IGBP) classes; see Table 5.4.6-1, Land Cover Classifications.</p> <p>The Surface Type EDR consists of the Surface Type product and the Vegetation Fraction product. The Surface Type Product is the granulation of the IGBP surface type tiles. The vegetation product is produced when the solar zenith angle is less than 70 degrees and where it is not confidently cloudy.</p> <p>The confidence value is provided in percent ranging from 0 - 100. The value of 247 in this field indicates that the surface type is defined by the NIMA Vector Map (VMap) Level 0.</p> <p>Sensors: VIIRS Effectivity: NPP and NPOESS</p>
File-Naming Construct	See the JPSS CDFCB-X Vol. I, 474-00001-01, Section 3.4 for details.
File Size	<p>Estimated Granule Size: 11.7 MiB</p> <p>This granule size includes VIIRS Surface Type EDR related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
File Format Type	HDF5
Data Content and Data Format	<p>See Section 5.4.6.1, VIIRS Surface Type EDR Data Content Summary</p> <p>See Section 5.4.6.2, VIIRS Surface Type EDR Product Profile</p> <p>See Section 5.4.6.3, VIIRS Surface Type EDR HDF5 Details</p> <p>See Section 5.4.6.4, VIIRS Surface Type EDR HDF5 Metadata Details</p> <p>See Section 5.4.6.5, VIIRS Surface Type EDR Geolocation Details</p>

Table 5.4.6-1, Land Cover Classifications

Land Cover Class	Definition
Evergreen Needleleaf Forests	Lands dominated by woody vegetation with a percent cover >60% and height exceeding 2 meters. Almost all trees remain green all year. Canopy is never without green foliage.
Deciduous Needleleaf Forests	Lands dominated by woody vegetation with a percent cover >60% and height exceeding 2 meters. Consists of seasonal, needleleaf tree communities with an annual cycle of leaf-on and leaf-off periods.
Evergreen Broadleaf Forests	Lands dominated by woody vegetation with a percent cover >60% and height exceeding 2 meters. Almost all trees and shrubs remain green all year. Canopy is never without green foliage.
Deciduous Broadleaf Forests	Lands dominated by woody vegetation with a percent cover >60% and height exceeding 2 meters. Consists of broadleaf tree communities with an annual cycle of leaf-on and leaf-off periods.
Mixed Forests	Lands dominated by woody vegetation with a percent cover >60% and height exceeding 2 meters. Consists of tree communities with interspersed mixtures or mosaics of the other four forest types. None of the forest types exceeds 60% of landscape.
Closed Shrublands	Lands with woody vegetation less than 2 meters tall and with shrub canopy cover >60%. The shrub foliage can be either evergreen or deciduous.
Open Shrublands	Lands with woody vegetation less than 2 meters tall and with shrub canopy cover between 10-60%. The shrub foliage can be either evergreen or deciduous.
Woody Savannas	Lands with herbaceous and other understory systems and with forest canopy cover between 30-60%. The forest cover height exceeds 2 meters.
Savannas	Lands with herbaceous and other understory systems and with forest canopy cover between 10-30%. The forest cover height exceeds 2 meters.
Grasslands	Lands with herbaceous types of cover. Tree and shrub cover is less than 10%.
Permanent Wetlands	Lands with a permanent mixture of water and herbaceous or woody vegetation. The vegetation can be present in either salt, brackish, or fresh water.
Croplands	Lands covered with temporary crops followed by harvest and a bare soil period (e.g., single and multiple cropping systems). Note that perennial woody crops will be classified as the appropriate forest or shrubland cover type.
Urban and Built-Up	Land covered by buildings and other man-made structures.
Cropland/Natural Vegetation Mosaics	Lands with a mosaic of croplands, forests, shrubland, and grasslands in which no one component comprises more than 60% of the landscape.
Snow and Ice	Lands under snow/ice cover.

Land Cover Class	Definition
Barren	Lands with exposed soil, sand, rocks, or snow and never having more than 10% vegetative cover during any time of the year.
Water Bodies	Oceans, seas, lakes, reservoirs, and rivers. Can be either fresh or salt-water bodies.

5.4.6.1 VIIRS Surface Type EDR Data Content Summary

Table 5.4.6.1-1, VIIRS Surface Type EDR Data Content Summary

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
SurfaceType	Surface Type	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
VegetationFraction	Vegetation Fraction	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF1_VIIRSSTEDR	Pixel Level Quality Flags	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF2_VIIRSSTEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
Confidence	QST IP Pixel Confidence (Pixel level confidence in percent for each of the Surface Types). Quality flowed down from QST IP Surface Type Confidence. Confidence associated with IGBP Surface Type Classification. Values 0 - 100 = percent confidence. 247 = Surface Type defined by NIMA Vector Map (VMap) Level 0	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	percent
VegetationFractionFactors	Scale = First Array Element; Offset = 2nd Array Element	32-bit floating point	[N*2]	[2]	unitless

5.4.6.2 VIIRS Surface Type EDR Product Profile

Table 5.4.6.2-1, VIIRS Surface Type EDR Product Profile

Fields											
Name	Data Size	Dimensions									
SurfaceType	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
		AlongTrack	Yes	No	768	768					
		CrossTrack	No	No	3200	3200					
		Datum									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values	Legend Entries

		Surface Type	0			unitless	No		unsigned 8-bit char	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr><td>NA_UINT8_FILL</td><td>255</td></tr> <tr><td>MISS_UINT8_FILL</td><td>254</td></tr> <tr><td>ONBOARD_PT_UINT8_FILL</td><td>253</td></tr> <tr><td>ONGROUND_PT_UINT8_FILL</td><td>252</td></tr> <tr><td>ERR_UINT8_FILL</td><td>251</td></tr> <tr><td>ELINT_UINT8_FILL</td><td>250</td></tr> <tr><td>VDNE_UINT8_FILL</td><td>249</td></tr> <tr><td>SOUB_UINT8_FILL</td><td>248</td></tr> </tbody> </table>	Name	Value	NA_UINT8_FILL	255	MISS_UINT8_FILL	254	ONBOARD_PT_UINT8_FILL	253	ONGROUND_PT_UINT8_FILL	252	ERR_UINT8_FILL	251	ELINT_UINT8_FILL	250	VDNE_UINT8_FILL	249	SOUB_UINT8_FILL	248	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr><td>Evergreen Needleleaf Forests</td><td>1</td></tr> <tr><td>Evergreen Broadleaf Forests</td><td>2</td></tr> <tr><td>Deciduous Needleleaf Forests</td><td>3</td></tr> <tr><td>Deciduous Broadleaf Forests</td><td>4</td></tr> <tr><td>Mixed Forests</td><td>5</td></tr> <tr><td>Closed Shrublands</td><td>6</td></tr> <tr><td>Open Shrublands</td><td>7</td></tr> <tr><td>Woody Savannas</td><td>8</td></tr> <tr><td>Savannas</td><td>9</td></tr> <tr><td>Grasslands</td><td>10</td></tr> <tr><td>Permanent Wetlands</td><td>11</td></tr> <tr><td>Croplands</td><td>12</td></tr> <tr><td>Urban and Built-up</td><td>13</td></tr> <tr><td>Cropland/Natural Vegetation Mosaics</td><td>14</td></tr> <tr><td>Snow and Ice</td><td>15</td></tr> <tr><td>Barren or sparsely vegetated</td><td>16</td></tr> <tr><td>Water</td><td>17</td></tr> </tbody> </table>	Name	Value	Evergreen Needleleaf Forests	1	Evergreen Broadleaf Forests	2	Deciduous Needleleaf Forests	3	Deciduous Broadleaf Forests	4	Mixed Forests	5	Closed Shrublands	6	Open Shrublands	7	Woody Savannas	8	Savannas	9	Grasslands	10	Permanent Wetlands	11	Croplands	12	Urban and Built-up	13	Cropland/Natural Vegetation Mosaics	14	Snow and Ice	15	Barren or sparsely vegetated	16	Water	17
Name	Value																																																																
NA_UINT8_FILL	255																																																																
MISS_UINT8_FILL	254																																																																
ONBOARD_PT_UINT8_FILL	253																																																																
ONGROUND_PT_UINT8_FILL	252																																																																
ERR_UINT8_FILL	251																																																																
ELINT_UINT8_FILL	250																																																																
VDNE_UINT8_FILL	249																																																																
SOUB_UINT8_FILL	248																																																																
Name	Value																																																																
Evergreen Needleleaf Forests	1																																																																
Evergreen Broadleaf Forests	2																																																																
Deciduous Needleleaf Forests	3																																																																
Deciduous Broadleaf Forests	4																																																																
Mixed Forests	5																																																																
Closed Shrublands	6																																																																
Open Shrublands	7																																																																
Woody Savannas	8																																																																
Savannas	9																																																																
Grasslands	10																																																																
Permanent Wetlands	11																																																																
Croplands	12																																																																
Urban and Built-up	13																																																																
Cropland/Natural Vegetation Mosaics	14																																																																
Snow and Ice	15																																																																
Barren or sparsely vegetated	16																																																																
Water	17																																																																
VegetationFraction	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr><td>AlongTrack</td><td>Yes</td><td>No</td><td>768</td><td>768</td></tr> <tr><td>CrossTrack</td><td>No</td><td>No</td><td>3200</td><td>3200</td></tr> </tbody> </table>		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	768	768	CrossTrack	No	No	3200	3200	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scale</th> <th>Scale Factor</th> <th>Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> </tbody> </table>							Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor	Name	Data Type	Fill Values	Legend Entries																			
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																													
AlongTrack	Yes	No	768	768																																																													
CrossTrack	No	No	3200	3200																																																													
Datum																																																																	
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor	Name	Data Type	Fill Values	Legend Entries																																																							

		Vegetation Fraction	0	0	1	unitless	Yes	VegetationFractionFactors	unsigned 8-bit char	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT8_FILL</td> <td>255</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT8_FILL</td> <td>254</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT8_FILL</td> <td>253</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT8_FILL</td> <td>252</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT8_FILL</td> <td>251</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT8_FILL</td> <td>250</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT8_FILL</td> <td>249</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT8_FILL</td> <td>248</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT8_FILL	255			MISS_UINT8_FILL	254			ONBOARD_PT_UINT8_FILL	253			ONGROUND_PT_UINT8_FILL	252			ERR_UINT8_FILL	251			ELINT_UINT8_FILL	250			VDNE_UINT8_FILL	249			SOUB_UINT8_FILL	248		
Name	Value	Name	Value																																											
NA_UINT8_FILL	255																																													
MISS_UINT8_FILL	254																																													
ONBOARD_PT_UINT8_FILL	253																																													
ONGROUND_PT_UINT8_FILL	252																																													
ERR_UINT8_FILL	251																																													
ELINT_UINT8_FILL	250																																													
VDNE_UINT8_FILL	249																																													
SOUB_UINT8_FILL	248																																													

Table 5.4.6.2-2, VIIRS Surface Type EDR Product Profile - Quality Flags

		Fields										
Name	Data Size	Dimensions										
QF1_VIIRSSTEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
		Datum										
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	
		Fire detected in pixel (from the VIIRS Cloud Mask)	0			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1
		Snow or Ice in Pixel (fraction detected within the pixel exceeded threshold). Applies up to SZA<=85 deg.	1			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1
		Vegetation in Pixel (Vegetation fraction detected within the pixel exceeded threshold)	2			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1
		Cloud Confidence Indicator (Indication of whether 'M' band pixel confidently clear, probably clear, probably cloudy or confidently cloudy)	3			unitless	No		2 bit(s)	Name Value	Name Value	Confidently Clear 0 Probably Clear 1 Probably Cloudy 2 Confidently Cloudy 3
		Exclusion - Sun Glint in pixel (as indicated in the VIIRS Cloud Mask)	5			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1
Input Data Quality degraded/bad (Quality of Surface Type is degraded or not retrieved due to bad surface reflectance data in horizontal cell)	6			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1		
Spare	7			unitless	No		1 bit(s)	Name Value	Name Value			
QF2_VIIRSSTEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						

		AlongTrack	Yes	No	768	768																	
		CrossTrack	No	No	3200	3200																	
		Datum																					
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries												
		Exclusion: AOT > 1.0 (AOT in horizontal cell > 1.0 on the slant path (AOT @550nm))	0			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1
Name	Value																						
False	0																						
True	1																						
Name	Value																						
False	0																						
True	1																						
		Vegetation fraction out of range (Veg Frac < 0 or Veg Frac > 1))	1			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1
Name	Value																						
False	0																						
True	1																						
Name	Value																						
False	0																						
True	1																						
		Exclusion: Solar Zenith Angle (Solar Zenith Angle at center of Horizontal Cell.)	2			unitless	No		2 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>Solar Zenith Angle < 70 Degrees</td><td>0</td></tr><tr><td>70 degrees <= Solar Zenith Angle <= 85 degrees</td><td>1</td></tr><tr><td>Solar Zenith Angle > 85</td><td>2</td></tr></table>	Name	Value	Solar Zenith Angle < 70 Degrees	0	70 degrees <= Solar Zenith Angle <= 85 degrees	1	Solar Zenith Angle > 85	2					
Name	Value																						
Solar Zenith Angle < 70 Degrees	0																						
70 degrees <= Solar Zenith Angle <= 85 degrees	1																						
Solar Zenith Angle > 85	2																						
		Is IVSIC (rolling snow/ice tiles) used instead of VIIRS Snow EDR	4			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1
Name	Value																						
False	0																						
True	1																						
Name	Value																						
False	0																						
True	1																						
		Spare	5			unitless	No		3 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr></table>	Name	Value	<table border="1"><tr><th>Name</th><th>Value</th></tr></table>	Name	Value								
Name	Value																						
Name	Value																						
Confidence	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																	
		AlongTrack	Yes	No	768	768																	
		CrossTrack	No	No	3200	3200																	
		Datum																					
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries												

QST IP Pixel Confidence (Pixel level confidence in percent for each of the Surface Types). Quality flowed down from QST IP Surface Type Confidence. Confidence associated with IGBP Surface Type Classification. Values 0 - 100 = percent confidence. 247 = Surface Type defined by NIMA Vector Map (VMap) Level 0	0	0	247	percent	No	unsigned 8-bit char	Name	Value	Name	Value
							NA_UINT8_FILL	255		
							MISS_UINT8_FILL	254		
							ONBOARD_PT_UINT8_FILL	253		
							ONGROUND_PT_UINT8_FILL	252		
							ERR_UINT8_FILL	251		
							ELINT_UINT8_FILL	250		
							VDNE_UINT8_FILL	249		
					Soub_UINT8_FILL	248				

Table 5.4.6.2-3, VIIRS Surface Type EDR Product Profile - Factors

Fields											
Name	Data Size	Dimensions									
VegetationFractionFactors	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
		Granule	Yes	No	2	2					
		Datum									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries
Scale = First Array Element; Offset = 2nd Array Element	0			unitless	No		32-bit floating point	Name Value	Name Value		

5.4.6.3 VIIRS Surface Type EDR HDF5 Details

Figure 5.4.6.3-1, VIIRS Surface Type EDR UML Diagram, provides details on the contents and data types of the Surface Type EDR product. This UML provides details at the product level detail only. In addition to this UML, refer to the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Figure 1.2.1-1, Generalized UML Diagram for statically sized HDF5 IP/EDR Files, for a complete UML rendering of this product.

VIIRS-ST-EDR
+SurfaceType : H5T_NATIVE_UCHAR
+VegetationFraction : H5T_NATIVE_UCHAR
+QF1_VIIRSSTEDR : H5T_NATIVE_UCHAR
+QF2_VIIRSSTEDR : H5T_NATIVE_UCHAR
+Confidence : H5T_NATIVE_UCHAR
+VegetationFractionFactors : H5T_NATIVE_FLOAT

Figure 5.4.6.3-1, VIIRS Surface Type EDR HDF5 UML Diagram

5.4.6.4 VIIRS Surface Type EDR HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Surface Type EDR are listed in the JPSS CDFCB-X Vol. V, 474-00001-05.

The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.4.6.4-1, VIIRS Surface Type EDR N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Surface Type EDR.

**Table 5.4.6.4-1, VIIRS Surface Type EDR
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values**

N_Quality_Summary			
Name	Value	Description	Notes
Surface Type EDR Summary Quality	0 - 100	Percent of pixels not classified as snow or fire within the current granule	
Surface Type EDR Exclusion Summary	0 - 100	Percent of pixels with one or more exclusion criteria flags	

5.4.6.5 VIIRS Surface Type EDR Geolocation Details

VIIRS Surface Type EDR is produced on the VIIRS Moderate Resolution Geolocation - Terrain Corrected. See the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Section 4.9.5, VIIRS Moderate Resolution Geolocation - Terrain Corrected for details.

5.4.7 VIIRS Vegetation Index

Data Mnemonic	EDRE-VRVI-C0030 (Official) EDRE-VRVI-C0031 (Substitute)
Description/ Purpose	<p>Normalized Difference Vegetation Index (NDVI) - Top of the Atmosphere (TOA) is most directly related to absorption of photosynthetically active radiation, but is often correlated with biomass or primary productivity. Red spectral measurements are sensitive to the chlorophyll content of vegetation and the near IR to the mesophyll structure of leaves. The normalized ratio (IR-Red)/(IR+ Red) has a close relationship with the photosynthetic capacity of specific vegetation types.</p> <p>NDVI is defined as follows: $NDVI = (I2_{TOA} - I1_{TOA}) / (I2_{TOA} + I1_{TOA})$ Spectral bands I1 and I2 are 600 - 680 nm and 845.5 - 884.5 nm respectively. TOA subscripts indicate that the values used are TOA reflectance in the respective bands.</p> <p>The Vegetation Index EDR also contains a Top of the Canopy (TOC) Enhanced Vegetation Index (EVI) which is defined as $EVI = (1 + L) * [(r_{NIR} - r_{Red}) / (r_{NIR} + C_1 r_{Red} - C_2 r_{Blue} + L)]$ Where L is a constant to adjust for soil moisture background and C₁ and C₂ are constants derived from minimizing feedback and errors from soil and atmospheric effects. For VIIRS, C₁ = 6, C₂ = 7.5, and L=1.</p> <p>r_{NIR} is the I2 Band reflectance at 865nm r_{Red} is the I1 Band reflectance at 640nm r_{Blue} is the M3 Band reflectance at 488nm</p> <p>The M3 band has twice the cell size as the I1 and I2 bands, so its value is applied to the 4 horizontal cells.</p> <p>Sensors: VIIRS</p> <p>Effectivity: NPP and NPOESS</p>
File-Naming Construct	See the JPSS CDFCB-X Vol. I, 474-00001-01, Section 3.4 for details.
File Size	<p>Estimated Granule Size: 65.6 MiB</p> <p>This granule size includes VIIRS Vegetation Index related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
File Format Type	HDF5

Data Content and Data Format	See Section 5.4.7.1, VIIRS Vegetation Index Data Content Summary See Section 5.4.7.2, VIIRS Vegetation Index Product Profile See Section 5.4.7.3, VIIRS Vegetation Index HDF5 Details See Section 5.4.7.4, VIIRS Vegetation Index HDF5 Metadata Details See Section 5.4.7.5, VIIRS Vegetation Index Geolocation Details
-------------------------------------	---

5.4.7.1 VIIRS Vegetation Index Data Content Summary

Table 5.4.7.1-1, VIIRS Vegetation Index Data Content Summary

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
TOA_NDVI	Normalized Difference Vegetation Index - Top of Atmosphere	unsigned 16-bit integer	[N*1536, 6400]	[1536, 6400]	unitless
TOC_EVI	Enhanced Vegetation Index - Top of Canopy	unsigned 16-bit integer	[N*1536, 6400]	[1536, 6400]	unitless
QF1_VIIRSVIEDR	Pixel Level Quality Flags	unsigned 8-bit char	[N*1536, 6400]	[1536, 6400]	unitless
QF2_VIIRSVIEDR		unsigned 8-bit char	[N*1536, 6400]	[1536, 6400]	unitless
QF3_VIIRSVIEDR		unsigned 8-bit char	[N*1536, 6400]	[1536, 6400]	unitless
TOA_NDVI_Factors	Scale = First Array Element; Offset = 2nd Array Element	32-bit floating point	[N*2]	[2]	unitless
TOC_EVI_Factors	Scale = First Array Element; Offset = 2nd Array Element	32-bit floating point	[N*2]	[2]	unitless

5.4.7.2 VIIRS Vegetation Index Product Profile

Table 5.4.7.2-1, VIIRS Vegetation Index Product Profile

Fields																																																																													
Name	Data Size	Dimensions																																																																											
TOA_NDVI	2byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>1536</td> <td>1536</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>6400</td> <td>6400</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	1536	1536	CrossTrack	No	No	6400	6400	<table border="1"> <thead> <tr> <th colspan="8">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scale</th> <th>Scale Factor Name</th> <th>Data Type</th> <th colspan="2">Fill Values</th> <th colspan="2">Legend Entries</th> </tr> </thead> <tbody> <tr> <td rowspan="8">Normalized Difference Vegetation Index - Top of Atmosphere</td> <td rowspan="8">0</td> <td rowspan="8">-1.00</td> <td rowspan="8">1.00</td> <td rowspan="8">unitless</td> <td rowspan="8">Yes</td> <td rowspan="8">TOA_NDVI_Factors</td> <td rowspan="8">unsigned 16-bit integer</td> <td>Name</td> <td>Value</td> <td rowspan="8">Name</td> <td rowspan="8">Value</td> </tr> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> </tr> </tbody> </table>								Datum								Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries		Normalized Difference Vegetation Index - Top of Atmosphere	0	-1.00	1.00	unitless	Yes	TOA_NDVI_Factors	unsigned 16-bit integer	Name	Value	Name	Value	NA_UINT16_FILL	65535	MISS_UINT16_FILL	65534	ONBOARD_PT_UINT16_FILL	65533	ONGROUND_PT_UINT16_FILL	65532	ERR_UINT16_FILL	65531	ELINT_UINT16_FILL	65530	VDNE_UINT16_FILL	65529	SOUB_UINT16_FILL	65528
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																							
		AlongTrack	Yes	No	1536	1536																																																																							
		CrossTrack	No	No	6400	6400																																																																							
		Datum																																																																											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries																																																																	
		Normalized Difference Vegetation Index - Top of Atmosphere	0	-1.00	1.00	unitless	Yes	TOA_NDVI_Factors	unsigned 16-bit integer	Name	Value	Name	Value																																																																
										NA_UINT16_FILL	65535																																																																		
										MISS_UINT16_FILL	65534																																																																		
										ONBOARD_PT_UINT16_FILL	65533																																																																		
										ONGROUND_PT_UINT16_FILL	65532																																																																		
										ERR_UINT16_FILL	65531																																																																		
ELINT_UINT16_FILL	65530																																																																												
VDNE_UINT16_FILL	65529																																																																												
SOUB_UINT16_FILL	65528																																																																												
TOC_EVI	2byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>1536</td> <td>1536</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>6400</td> <td>6400</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	1536	1536	CrossTrack	No	No	6400	6400	<table border="1"> <thead> <tr> <th colspan="8">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scale</th> <th>Scale Factor Name</th> <th>Data Type</th> <th colspan="2">Fill Values</th> <th colspan="2">Legend Entries</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Enhanced Vegetation Index - Top</td> <td rowspan="2">0</td> <td rowspan="2">-1.00</td> <td rowspan="2">4.00</td> <td rowspan="2">unitless</td> <td rowspan="2">Yes</td> <td rowspan="2">TOC_EVI_Factors</td> <td rowspan="2">unsigned 16-bit integer</td> <td>Name</td> <td>Value</td> <td rowspan="2">Name</td> <td rowspan="2">Value</td> </tr> <tr> <td>NA_UINT16_FILL</td> <td>6553</td> </tr> </tbody> </table>								Datum								Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries		Enhanced Vegetation Index - Top	0	-1.00	4.00	unitless	Yes	TOC_EVI_Factors	unsigned 16-bit integer	Name	Value	Name	Value	NA_UINT16_FILL	6553														
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																							
		AlongTrack	Yes	No	1536	1536																																																																							
		CrossTrack	No	No	6400	6400																																																																							
		Datum																																																																											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries																																																																	
		Enhanced Vegetation Index - Top	0	-1.00	4.00	unitless	Yes	TOC_EVI_Factors	unsigned 16-bit integer	Name	Value	Name	Value																																																																
										NA_UINT16_FILL	6553																																																																		

		I2 Surface Reflectance is NOT available	5			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		M3 Surface Reflectance is NOT available	6			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		EVI Range is out of range (EVI < -1.0 or EVI > 4.0)	7			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
QF2_VIIRSVIEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	1536	1536							
		CrossTrack	No	No	6400	6400							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		Land/Water	0			unitless	No		3 bit(s)	Name Value	Name Value	Land & Desert 0 Land/No Desert 1 Inland Water 2 Sea Water 3 Coastal 5	
		Cloud Confidence	3			unitless	No		2 bit(s)	Name Value	Name Value	Confidently Clear 0 Probably Clear 1 Probably Cloudy 2 Confidently Cloudy 3	
		Sun Glint in pixel (as indicated in the VIIRS Cloud Mask)	5			unitless	No		2 bit(s)	Name Value	Name Value	None 0 Geometry Based 1 Wind-Speed Based 2 Geometry & Wind 3	
		Thin Cirrus detected in	7			unitless	No		1	Name Value	Name Value		

		pixel (from VIIRS Cloud Mask)							bit(s)		False 0 True 1		
QF3_VIIRSVIEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	1536	1536							
		CrossTrack	No	No	6400	6400							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Degradation Condition: Solar Zenith Angle within Range (65 Deg <= Solar Zenith Angle <= 85 Deg)	0			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Exclusion: AOT > 1.0 (AOT in horizontal cell > 1.0 on the slant path (AOT @550nm))	1			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Exclusion: Solar Zenith Angle > 85 Deg	2			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Snow/Ice	3			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Adjacent to Clouds	4			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
Aerosol Quantity	5			unitless	No		2 bit(s)	Name Value	Name Value	Climatology 0 Low 1 Average 2 High 3			
Cloud Shadows	7			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1			

Table 5.4.7.2-3, VIIRS Vegetation Index Product Profile - Factors

Fields													
Name	Data Size	Dimensions											
TOA_NDVI_Factors	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		Granule	Yes	No	2	2							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Scale = First Array Element; Offset = 2nd Array Element	0			unitless	No		32-bit floating point	Name	Value	Name	Value
TOC_EVI_Factors	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		Granule	Yes	No	2	2							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Scale = First Array Element; Offset = 2nd Array Element	0			unitless	No		32-bit floating point	Name	Value	Name	Value

5.4.7.3 VIIRS Vegetation Index HDF5 Details

Figure 5.4.7.3-1, VIIRS Vegetation Index UML Diagram, provides details on the contents and data types of the Vegetation Index product. This UML provides details at the product level detail only. In addition to this UML, refer to the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Figure 1.2.1-1, Generalized UML Diagram for statically sized HDF5 IP/EDR Files, for a complete UML rendering of this product.

VIIRS-VI-EDR
+TOA_NDVI : H5T_NATIVE_UINT
+TOC_EVI : H5T_NATIVE_UINT
+QF1_VIIRSVIEDR : H5T_NATIVE_UCHAR
+QF2_VIIRSVIEDR : H5T_NATIVE_UCHAR
+QF3_VIIRSVIEDR : H5T_NATIVE_UCHAR
+TOA_NDVI_Factors : H5T_NATIVE_FLOAT
+TOC_EVI_Factors : H5T_NATIVE_FLOAT

Figure 5.4.7.3-1, VIIRS Vegetation Index HDF5 UML Diagram

5.4.7.4 VIIRS Vegetation Index HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Vegetation Index EDR are listed in the JPSS CDFCB-X Vol. V, 474-00001-05. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.4.7.4-1, VIIRS Vegetation Index N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Vegetation Index.

Table 5.4.7.4-1, VIIRS Vegetation Index N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values

N_Quality_Summary			
Name	Value	Description	Notes
EVI Summary Quality	0 - 100	Percent of cells with high quality	
NDVI Summary Quality	0 - 100	Percent of cells with high quality	

N_Quality_Summary			
Name	Value	Description	Notes
EVI Exclusion Summary	0 - 100	Percent of pixels with one or more EVI exclusion criteria flags	
NDVI Exclusion Summary	0 - 100	Percent of pixels with one or more NDVI exclusion criteria flags	
No Land in Granule	0	Land in Granule	
	1	No Land in Granule	

5.4.7.5 VIIRS Vegetation Index Geolocation Details

VIIRS Vegetation Index is produced on the VIIRS Imagery Resolution Geolocation - Terrain Corrected. See the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Section 4.9.6, VIIRS Imagery Resolution Geolocation - Terrain Corrected for details.

5.5 Ocean/Water Environmental Data Records

5.5.1 Sea Surface Temperature

Sea Surface Temperature (SST) is defined as a measurement of the temperature of the surface layer (skin) of ocean water.

A horizontal cell is considered clear for this EDR if the cloud mask indicates “confidently clear” for that cell. Cloud cover for a horizontal cell is considered to be negligible if the following criteria are met:

- The cloud mask indicates “confidently clear” for a horizontal cell and the cells adjacent to it.
- The “thin cirrus” detection flag is not set for that horizontal cell.

The skin temperature is retrieved directly from the satellite radiances. A bulk (upper 1 meter) temperature is not computed but can be easily derived from the skin temperature using a constant offset.

Sensors	VIIRS
Effectivity	NPP/NPOESS
EDR Contents	For each pixel, the SST EDR contains: Skin temperature Reference temperature Quality Flags Scale/Offset Factors

5.5.1.1 DELETED

5.5.1.2 VIIRS Sea Surface Temperature

Data Mnemonic	EDRE-SSTE-C1030 (Official) EDRE-SSTE-C1031 (Substitute)
Description/ Purpose	<p>The overall scientific objective of the VIIRS SST retrievals is to provide improved operational measurements of the skin SST by using statistical methods. The VIIRS SST EDR requires a 0.2 K measurement accuracy and a 0.6 K measurement uncertainty. Sea Surface Temperature (SST) is defined as a measurement of the temperature of the surface layer (skin) of ocean water. The skin temperature is retrieved directly from the satellite radiances. A bulk temperature is not computed but can be easily derived from the skin temperature using a constant offset.</p> <p>Sensors: VIIRS Effectivity: NPP and NPOESS</p>
File-Naming Construct	See the JPSS CDFCB-X Vol. I, 474-00001-01, Section 3.4 for details.
File Size	<p>Estimated Granule Size: 18.8 MiB</p> <p>This granule size includes VIIRS Sea Surface Temperature EDR related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
File Format Type	HDF5
Data Content and Data Format	<p>See Section 5.5.1.2.1, VIIRS Sea Surface Temperature EDR Data Content Summary</p> <p>See Section 5.5.1.2.2, VIIRS Sea Surface Temperature EDR Product Profile</p> <p>See Section 5.5.1.2.3, VIIRS Sea Surface Temperature EDR HDF5 Details</p> <p>See Section 5.5.1.2.4, VIIRS Sea Surface Temperature EDR HDF5 Metadata Details</p> <p>See Section 5.5.1.2.5, VIIRS Sea Surface Temperature EDR Geolocation Details</p>

5.5.1.2.1 VIIRS Sea Surface Temperature EDR Data Content Summary**Table 5.5.1.2.1-1, VIIRS Sea Surface Temperature EDR Data Content Summary**

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
SkinSST	Sea Surface Skin Temperature	unsigned 16-bit integer	[N*768, 3200]	[768, 3200]	kelvin
ReferenceSST	Sea Surface Reference Temperature	unsigned 16-bit integer	[N*768, 3200]	[768, 3200]	kelvin
Bulk-Skin_Offset	Offset for computing bulk SST (SkinSST + Bulk-Skin_Offset = bulk SST)	32-bit floating point	[N]	[1]	kelvin
QF1_VIIRSSSTEDR	Pixel level Quality Flags	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF2_VIIRSSSTEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF3_VIIRSSSTEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF4_VIIRSSSTEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
SkinSSTFactors	Scale = First Array Element; Offset = 2nd Array Element	32-bit floating point	[N*2]	[2]	scale = unitless; offset = kelvin
ReferenceSSTFactors	Scale = First Array Element; Offset = 2nd Array Element	32-bit floating point	[N*2]	[2]	scale = unitless; offset = kelvin

5.5.1.2.2 VIIRS Sea Surface Temperature EDR Product Profile

Table 5.5.1.2.2-1, VIIRS Sea Surface Temperature EDR Product Profile

Fields														
Name	Data Size	Dimensions												
SkinSST	2byte(s)	Name		Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768								
		CrossTrack	No	No	3200	3200								
		Datum												
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries		
		Sea Surface Skin Temperature	0	265.00	320.00	kelvin	Yes	SkinSSTFactors	unsigned 16-bit integer	Name		Value	Name	Value
										NA_UINT16_FILL	65535			
										MISS_UINT16_FILL	65534			
										ONBOARD_PT_UINT16_FILL	65533			
										ONGROUND_PT_UINT16_FILL	65532			
ERR_UINT16_FILL	65531													
ELINT_UINT16_FILL	65530													
VDNE_UINT16_FILL	65529													
SOUB_UINT16_FILL	65528													
ReferenceSST	2byte(s)	Name		Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768								
		CrossTrack	No	No	3200	3200								
		Datum												
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries		
		Sea Surface Reference	0	265.00	320.00	kelvin	Yes	ReferenceSSTFactors	unsigned 16-bit integer	Name		Value	Name	Value

		Temperatur e											NA_UINT16_FILL	6553 5	
													MISS_UINT16_FILL	6553 4	
													ONBOARD_PT_UINT16_FILL	6553 3	
													ONGROUND_PT_UINT16_FILL	6553 2	
													ERR_UINT16_FILL	6553 1	
													ELINT_UINT16_FILL	6553 0	
													VDNE_UINT16_FILL	6552 9	
													SOUB_UINT16_FILL	6552 8	
Bulk-Skin_Offset	4byte(s))	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size									
		Granule	Yes	No	1	1									
		Datum													
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries			
Offset for computing bulk SST (SkinSST + Bulk-Skin_Offset = bulk SST)	0			kelvin	No		32-bit floating point	Name	Value	Name	Value				

Table 5.5.1.2.2-2, VIIRS Sea Surface Temperature EDR Product Profile - Quality Flags

		Fields											
Name	Data Size	Dimensions											
QF1_VIIRSSSTEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		Skin SST Quality (Indicates the quality of the pixel level retrieval)	0			unitless	No		2 bit(s)	Name	Value	Name	Value
												Not Retrieved	0
												Excluded	1
												Degraded	2
											High Quality	3	
Spare	2			unitless	No		2 bit(s)	Name	Value	Name	Value		
Spare	4			unitless	No		2 bit(s)	Name	Value	Name	Value		
Algorithm	6			unitless	No		1 bit(s)	Name	Value	Name	Value		
										Non-linear Split Window	0		
										Triple Window	1		
Day/Night	7			unitless	No		1 bit(s)	Name	Value	Name	Value		
										Night	0		
										Day	1		
QF2_VIIRSSSTEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		SST not retrieved due to bad LWIR in M15 or M16.	0			unitless	No		1 bit(s)	Name	Value	Name	Value

											Both Available	0
											At Least One Not Available	1
		Single non-linear split-window algorithm used due to bad SWIR in M12	1			unitless	No		1 bit(s)	Name Value	Name Value	Value
											M12 available	0
											M12 not available	1
		Cloud Confidence	2			unitless	No		2 bit(s)	Name Value	Name Value	Value
											Confidently Clear	0
											Probably Clear	1
											Probably Cloudy	2
											Confidently Cloudy	3
		Cloud Adjacency Cloud Confidence Value	4			unitless	No		2 bit(s)	Name Value	Name Value	Value
											Confidently Clear	0
											Probably Clear	1
											Probably Cloudy	2
											Confidently Cloudy	3
		Thin Cirrus detected in pixel	6			unitless	No		1 bit(s)	Name Value	Name Value	Value
											False	0
											True	1
		Ice Concentration Threshold Exceeded (SST not retrieved due to ice concentration exceeding threshold in System Spec)	7			unitless	No		1 bit(s)	Name Value	Name Value	Value
											False	0
											True	1
QF3_VIIRSSSTEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
		Datum										
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	
		Sun Glint present in pixel	0			unitless	No		1 bit(s)	Name Value	Name Value	Value

											False	0	
											True	1	
		Exclusion: AOT > 1.0 (AOT in horizontal cell > 1.0 on the slant path (AOT @550nm))	1			unitless	No		1 bit(s)	Name	Value	Name	Value
												False	0
												True	1
		Degradation: AOT > 0.6 (AOT in horizontal cell > 0.6 on the slant path (AOT @550nm))	2			unitless	No		1 bit(s)	Name	Value	Name	Value
												False	0
												True	1
		Exclusion: No Ocean in pixel	3			unitless	No		1 bit(s)	Name	Value	Name	Value
												False	0
												True	1
		Degradation - Horizontal Cell Size > 1.3km (HCS > 1.3 km, swath width > 1700 km, Sensor Zenith Angle > 53.0 degrees)	4			unitless	No		1 bit(s)	Name	Value	Name	Value
												False	0
												True	1
		Sensor Zenith Angle > 40 Degrees (Pixel is not within 40 degrees of Nadir and therefore is not of high quality)	5			unitless	No		1 bit(s)	Name	Value	Name	Value
												False	0
												True	1
		Skin SST outside of validation range	6			unitless	No		1 bit(s)	Name	Value	Name	Value
												False	0
												True	1
		Spare	7			unitless	No		1 bit(s)	Name	Value	Name	Value
QF4_VIIRSSSTEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		Skin SST Degraded, T > 305K	0			unitless	No		1 bit(s)	Name	Value	Name	Value
												False	0
												True	1
		Spare	1			unitless	No		7 bit(s)	Name	Value	Name	Value

Table 5.5.1.2.2-3, VIIRS Sea Surface Temperature EDR Product Profile - Factors

		Fields									
Name	Data Size	Dimensions									
		SkinSSTFactors	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size			
Granule	Yes			No	2	2					
Datum											
Description	Datum Offset			Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	
Scale = First Array Element; Offset = 2nd Array Element	0			scale = unitless; offset = kelvin	No		32-bit floating point	Name	Value	Name	Value
ReferenceSSTFactors	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
		Granule	Yes	No	2	2					
		Datum									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	
Scale = First Array Element; Offset = 2nd Array Element	0			scale = unitless; offset = kelvin	No		32-bit floating point	Name	Value	Name	Value

5.5.1.2.3 VIIRS Sea Surface Temperature EDR HDF5 Details

Figure 5.5.1.2.3-1, VIIRS Sea Surface Temperature EDR UML Diagram, provides details on the contents and data types of the Sea Surface Temperature EDR product. This UML provides details at the product level detail only. In addition to this UML, refer to the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Figure 1.2.1-1, Generalized UML Diagram for statically sized HDF5 IP/EDR Files, for a complete UML rendering of this product.




Figure 5.5.1.2.3-1, VIIRS Sea Surface Temperature EDR HDF5 UML Diagram

5.5.1.2.4 VIIRS Sea Surface Temperature EDR HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Sea Surface Temperature EDR are listed in the JPSS CDFCB-X Vol. V, 474-00001-05. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.5.1.2.4-1, VIIRS Sea Surface Temperature EDR

N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Sea Surface Temperature EDR.

**Table 5.5.1.2.4-1, VIIRS Sea Surface Temperature EDR
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values**

N_Quality_Summary			
Name	Value	Description	Notes
Skin Summary Quality	0 - 100	Percent of pixels with High Quality Skin SST retrievals	
Skin Exclusion Summary	0 - 100	Percent of pixels with one or more Skin SST exclusion criteria flags	
Skin Degraded Summary	0 - 100	Percent of pixels with Skin SST Degraded Quality	
Skin Summary Range Check	0 - 100	Percent of Skin SST retrievals excluded due to Skin SST value being outside of the range required by the System Spec.	

5.5.1.2.5 VIIRS Sea Surface Temperature EDR Geolocation Details

VIIRS Sea Surface Temperature is produced on the VIIRS Moderate Resolution Geolocation - Terrain Corrected. See the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Section 4.9.5, VIIRS Moderate Resolution Geolocation - Terrain Corrected for details.

5.5.2 DELETED

5.5.3 Ice Surface Temperature

Clear for the Ice Surface Temperature EDR is when the cloud mask classifies a particular horizontal cell as “confidently clear.

Sensors	VIIRS
Effectivity	NPP/NPOESS
EDR Contents	For each pixel, the Ice Surface Temperature EDR contains: Ice surface temperature Quality Flags

5.5.3.1 DELETED

5.5.3.2 VIIRS Ice Surface Temperature EDR

Data Mnemonic	EDRE-ICST-C1030 (Official) EDRE-ICST-C1031 (Substitute)
Description/ Purpose	The Ice Surface Temperature EDR using VIIRS data. The overall scientific objective of the VIIRS IST retrievals is to provide improved measures of global and regional IST fields. The VIIRS IST EDR requires a 0.5 K measurement uncertainty. The requirements are met, provided accurate cloud/ice discrimination is available.
File-Naming Construct	See the JPSS CDFCB-X Vol. I, 474-00001-01, Section 3.4 for details.
File Size	Estimated Granule Size: 11.7 MiB This granule size includes VIIRS Ice Surface Temperature EDR related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.
File Format Type	HDF5
Data Content and Data Format	See Section 5.5.3.2.1, VIIRS Ice Surface Temperature EDR Data Content Summary See Section 5.5.3.2.2, VIIRS Ice Surface Temperature EDR Product Profile See Section 5.5.3.2.3, VIIRS Ice Surface Temperature EDR HDF5 Details See Section 5.5.3.2.4, VIIRS Ice Surface Temperature EDR HDF5 Metadata Details See Section 5.5.3.2.5, VIIRS Ice Surface Temperature EDR Geolocation Details

5.5.3.2.1 VIIRS Ice Surface Temperature EDR Data Content Summary**Table 5.5.3.2.1-1, VIIRS Ice Surface Temperature EDR Data Content Summary**

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
IceSurfaceTemperature	Ice Surface Temperature	unsigned 16-bit integer	[N*768, 3200]	[768, 3200]	kelvin
QF1_VIIRSISTEDR	Pixel level quality flags	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
QF2_VIIRSISTEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF3_VIIRSISTEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
ISTFactors	Scale = First Array Element; Offset = 2nd Array Element	32-bit floating point	[N*2]	[2]	scale = unitless; offset = kelvin

5.5.3.2.2 VIIRS Ice Surface Temperature EDR Product Profile

Table 5.5.3.2-1, VIIRS Ice Surface Temperature EDR Product Profile

Fields													
Name	Data Size	Dimensions											
IceSurfaceTemperature	2byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Ice Surface Temperature	0	183.20	275.00	kelvin	Yes	ISTFactors	unsigned 16-bit integer	Name	Value	Name	Value
										NA_UINT16_FILL	65535		
										MISS_UINT16_FILL	65534		
										ONBOARD_PT_UINT16_FILL	65533		
										ONGROUND_PT_UINT16_FILL	65532		
								ERR_UINT16_FILL	65531				
								ELINT_UINT16_FILL	65530				
								VDNE_UINT16_FILL	65529				
								SOUB_UINT16_FILL	65528				

Table 5.5.3.2.2-2, VIIRS Ice Surface Temperature EDR Product Profile - Quality Flags

Fields													
Name	Data Size	Dimensions											
QF1_VIIRSISTEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		IST Quality (Indicates the quality of the pixel level retrieval)	0			unitless	No		2 bit(s)	Name	Value	Name	Value
												High	0
												Medium	1
												Low	2
				No Retrieval	3								
Algorithm (Indicates which algorithm branch was implemented)	2			unitless	No		1 bit(s)	Name	Value	Name	Value		
										2-Band Split Window	0		
										Single Band (12-micrometer) Retrieval	1		
Day/Night	3			unitless	No		1 bit(s)	Name	Value	Name	Value		
										Night (Solar Zenith Angle > 85 Degrees)	0		
										Day (Solar Zenith Angle <= 85 degrees)	1		
Band M15 Brightness Temperature is out of System Spec Range (BT(M15) <= 190K or BT(M15) >= 343K)	4			unitless	No		1 bit(s)	Name	Value	Name	Value		
										False	0		
										True	1		
Band M16 Brightness Temperature is out of System Spec Range (BT(M16) <= 190K or BT(M16) >= 340K)	5			unitless	No		1 bit(s)	Name	Value	Name	Value		
										False	0		
										True	1		
Fire detected in pixel	6			unitless	No		1 bit(s)	Name	Value	Name	Value		
										False	0		
										True	1		

		Pixel is outside of Ice Coverage Zone (Ice Coverage Zone is defined to be: Latitude is North of 36N or Latitude is South of 50S)	7			unitless	No		1 bit(s)	Name Value	Name Value		
											False 0 True 1		
QF2_VIIRSISTEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		Ice Fraction	0			unitless	No		2 bit(s)	Name Value	Name	Value	
											Ice Fraction = 1.00	0	
											0.95 <= Ice Fraction < 1.00	1	
											0.00 < Ice Fraction < 0.95	2	
											Ice Fraction = 0.00	3	
Cloud Confidence Indicator	2			unitless	No		2 bit(s)	Name Value	Name	Value			
									Confidently Clear	0			
									Probably Clear	1			
									Probably Cloudy	2			
									Confidently Cloudy	3			
Adjacent Pixel Cloud Confidence Indicator	4			unitless	No		2 bit(s)	Name Value	Name	Value			
									Confidently Clear	0			
									Probably Clear	1			
									Probably Cloudy	2			
									Confidently Cloudy	3			
Exclusion - Thin Cirrus Detected	6			unitless	No		1 bit(s)	Name Value	Name	Value			
									False	0			
									True	1			
Spare	7			unitless	No		1	Name Value	Name	Value			

									bit(s)				
QF3_VIIRSISTEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Exclusion - Land/Water Background (Identifies the type of Earth surface that lies along the instrument's line of sight. All land types except Sea Water are excluded from processing)	0			unitless	No		3 bit(s)	Name	Value	Name	Value
												Land and Desert	0
												Land/No Desert	1
												Inland Water	2
												Sea Water	3
										Coastal	5		
		Invalid Land/Water	7										
Snow or Ice detected in pixel	3			unitless	No		1 bit(s)	Name	Value	Name	Value		
										False	0		
										True	1		
Shadow detected in pixel	4			unitless	No		1 bit(s)	Name	Value	Name	Value		
										False	0		
										True	1		
Exclusion: AOT > 1.0 (AOT in horizontal cell > 1.0 on the slant path (AOT @550nm))	5			unitless	No		1 bit(s)	Name	Value	Name	Value		
										False	0		
										True	1		
Ice Surface Temperature is Out of the System Spec Validated Range. (IST < 213K or IST > 275K)	6			unitless	No		1 bit(s)	Name	Value	Name	Value		
										False	0		
										True	1		
Spare	7			unitless	No		1 bit(s)	Name	Value	Name	Value		

Table 5.5.3.2.2-3, VIIRS Ice Surface Temperature EDR Product Profile - Factors

Fields											
Name	Data Size	Dimensions									
ISTFactors	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
		Granule	Yes	No	2	2					
		Datum									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries
Scale = First Array Element; Offset = 2nd Array Element	0			scale = unitless; offset = kelvin	No		32-bit floating point	Name Value	Name Value		

5.5.3.2.3 VIIRS Ice Surface Temperature EDR HDF5 Details

Figure 5.5.3.2.3-1, VIIRS Ice Surface Temperature EDR UML Diagram, provides details on the contents and data types of the Ice Surface Temperature EDR product. This UML provides details at the product level detail only. In addition to this UML, refer to the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Figure 1.2.1-1, Generalized UML Diagram for statically sized HDF5 IP/EDR Files, for a complete UML rendering of this product.

VIIRS-IST-EDR
+IceSurfaceTemperature : H5T_NATIVE_USHORT
+QF1_VIIRSISTEDR : H5T_NATIVE_UCHAR
+QF2_VIIRSISTEDR : H5T_NATIVE_UCHAR
+QF3_VIIRSISTEDR : H5T_NATIVE_UCHAR
+ISTFactors : H5T_NATIVE_FLOAT

Figure 5.5.3.2.3-1, VIIRS Ice Surface Temperature EDR HDF5 UML Diagram

5.5.3.2.4 VIIRS Ice Surface Temperature EDR HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Ice Surface Temperature EDR are listed in the JPSS CDFCB-X Vol. V, 474-00001-05. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.5.3.2.4-1, VIIRS Ice Surface Temperature EDR N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Ice Surface Temperature EDR.

Table 5.5.3.2.4-1, VIIRS Ice Surface Temperature EDR N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values

N_Quality_Summary			
Name	Value	Description	Notes
Ice Surface Temperature EDR Summary Quality	0 - 100	Percent of pixels within granule with high quality of retrieval	

N_Quality_Summary			
Name	Value	Description	Notes
Exclusion Summary	0 - 100	Percent of pixels with excluded conditions	
Summary Range Check	0 - 100	Percent of retrieved pixels outside of expected range (213K to 275K)	
SDR Input Data Quality	0 - 100	Percent of pixels with high quality input values of brightness temperature in VIIRS SDR	
Ice Concentration IP Input Data Quality	0 - 100	Percent of pixels with high quality input values for Ice Concentration IP	
VCM Input Data Quality	0 - 100	Percent of pixels with high quality input values for the VIIRS Cloud Mask	
AOT Input Data Quality	0 - 100	Percent of pixels with high quality input values for AOT (valid for day only)	
No Ocean Coverage	0	At least one ocean pixel in granule	
	1	No Ocean pixels in granule	
No Land Coverage	0	At least one land pixel in granule	
	1	No land pixels in granule	

5.5.3.2.5 VIIRS Ice Surface Temperature EDR Geolocation Details

VIIRS Ice Surface Temperature is produced on the VIIRS Moderate Resolution Geolocation - Terrain Corrected. See the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Section 4.9.5, VIIRS Moderate Resolution Geolocation - Terrain Corrected for details.

5.5.4 Net Heat Flux

Data Mnemonic	EDRE-VNHF-C0030 (Official) EDRE-VNHF-C0031 (Substitute)
Description/ Purpose	<p>Net heat flux refers to net surface flux over oceans (including ice covered). Components are longwave and shortwave radiation, latent heat flux and sensible heat flux.</p> <p>Note: The term 'water' is synonymous with 'ocean water' in the description fields for this product. The term 'ice' is synonymous with 'ocean ice.' Net Heat Flux values are not retrieved over large inland bodies of water/ice.</p> <p>Sensors: VIIRS</p> <p>Effectivity: NPP and NPOESS</p>
File-Naming Construct	See the JPSS CDFCB-X Vol. I, 474-00001-01, Section 3.4 for details.
File Size	<p>Estimated Granule Size: 0.7 MiB</p> <p>This granule size includes Net Heat Flux related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p> <p>Geolocation Estimated Granule Size: 0.39 MiB</p>
File Format Type	HDF5

<p>Data Content and Data Format</p>	<p>For each aggregated area, the Net Heat Flux EDR contains:</p> <ul style="list-style-type: none"> Net Heat Flux Latent and Sensible Heat Fluxes Longwave and Shortwave Fluxes Number of pixels in cell (total, clear, water, and ice) Quality Flags <p>Associated Geolocation fields for this EDR are also listed</p> <p>Note: The Net Heat Flux EDR implements a special set fill values in order to avoid conflict with the valid range of values.</p> <p>See Section 5.5.4.1, Net Heat Flux Data Content Summary</p> <p>See Section 5.5.4.2 Net Heat Flux Product Profile</p> <p>See Section 5.5.4.3, Net Heat Flux HDF5 Details</p> <p>See Section 5.5.4.4 Net Heat Flux HDF5 Metadata</p> <p>See Section 5.5.4.5, Net Heat Flux Geolocation Details</p> <p>See Section 5.5.4.6, Net Heat Flux Geolocation Product Profile</p> <p>See Section 5.5.4.7, Net Heat Flux Geolocation HDF5 Details</p> <p>See Section 5.5.4.8, Net Heat Flux Geolocation HDF5 Metadata Details</p>
--	--

5.5.4.1 Net Heat Flux Data Content Summary

Table 5.5.4.1-1, Net Heat Flux Data Content Summary

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
NetHeatFlux_Total	Total net heat flux (positive = transfer from surface to atmosphere) from water and ice surfaces	32-bit floating point	[N*48, 254]	[48, 254]	W/m ²
NetHeatFlux_Water	Total net heat flux (positive = transfer from surface to atmosphere) from water surfaces	32-bit floating point	[N*48, 254]	[48, 254]	W/m ²
NetHeatFlux_Ice	Total net heat flux (positive = transfer from surface to atmosphere) from ice surfaces.	32-bit floating point	[N*48, 254]	[48, 254]	W/m ²
LatentHeatFlux_Water	Latent heat flux (positive = transfer from surface to atmosphere) from water surfaces	32-bit floating point	[N*48, 254]	[48, 254]	W/m ²
LatentHeatFlux_Ice	Latent heat flux (positive = transfer from surface to atmosphere) from ice surfaces	32-bit floating point	[N*48, 254]	[48, 254]	W/m ²
SensibleHeatFlux_Water	Sensible heat flux	32-bit floating	[N*48,	[48, 254]	W/m ²

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
	(positive = transfer from surface to atmosphere) from water surfaces	point	254]		
SensibleHeatFlux_Ice	Sensible heat flux (positive = transfer from surface to atmosphere) from ice surfaces	32-bit floating point	[N*48, 254]	[48, 254]	W/m^2
LW_Flux_Water	Longwave flux (positive = transfer from surface to atmosphere) from water surfaces	32-bit floating point	[N*48, 254]	[48, 254]	W/m^2
LW_Flux_Ice	Longwave flux (positive = transfer from surface to atmosphere) from ice surfaces	32-bit floating point	[N*48, 254]	[48, 254]	W/m^2
SW_Flux_Water	Shortwave flux (positive = transfer from surface to atmosphere) from water surfaces	32-bit floating point	[N*48, 254]	[48, 254]	W/m^2
SW_Flux_Ice	Shortwave flux (positive = transfer from surface to atmosphere) from ice surfaces	32-bit floating point	[N*48, 254]	[48, 254]	W/m^2

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
Total_Number_Of_Pixels_In_Cell	Total number of pixels included in the aggregated cell (nTotal)	16-bit integer	[N*48, 254]	[48, 254]	pixels
Number_Of_Clear_Pixels_In_Cell	Number of clear pixels included in the aggregated cell (nClear)	16-bit integer	[N*48, 254]	[48, 254]	pixels
Number_Of_Water_Pixels_In_Cell	Number of pixels over water included in the aggregated cell (nWater)	16-bit integer	[N*48, 254]	[48, 254]	pixels
Number_Of_Ice_Pixels_In_Cell	Number of pixels over ice included in the aggregated cell (nIce)	16-bit integer	[N*48, 254]	[48, 254]	pixels
QF1_VIIRSNHFEDR	Net Heat Flux Quality Flags	unsigned 8-bit char	[N*48, 254]	[48, 254]	unitless
QF2_VIIRSNHFEDR		unsigned 8-bit char	[N*48, 254]	[48, 254]	unitless
QF3_VIIRSNHFEDR		unsigned 8-bit char	[N*48, 254]	[48, 254]	unitless
QF4_VIIRSNHFEDR		unsigned 8-bit char	[N*48, 254]	[48, 254]	unitless
QF5_VIIRSNHFEDR		unsigned 8-bit char 8	[N*48, 254]	[48, 254]	unitless

5.5.4.2 Net Heat Flux Product Profile

Table 5.5.4.2-1, Net Heat Flux Product Profile - Flux Values

		Fields													
Name	Data Size	Dimensions													
NetHeatFlux_Total	4byte(s)	Name		Granule Boundary	Dynamic	Min Array Size	Max Array Size								
		AlongTrack	Yes	No	48	48									
		CrossTrack	No	No	254	254									
		Datum													
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries			
		Total net heat flux (positive = transfer from surface to atmosphere) from water and ice surfaces	0	-2000	2000	W/m^2	No		32-bit floating point	Name		Value		Name	Value
										NA_FLOAT32_FILL	-	9999.9			
										MISS_FLOAT32_FILL	-	9999.8			
										ERR_FLOAT32_FILL	-	9999.5			
										ELINT_FLOAT32_FILL	-	9999.4			
VDNE_FLOAT32_FILL	-	9999.3													
NetHeatFlux_Water	4byte(s)	Name		Granule Boundary	Dynamic	Min Array Size	Max Array Size								
		AlongTrack	Yes	No	48	48									
		CrossTrack	No	No	254	254									
		Datum													
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries			
		Total net heat flux (positive = transfer from	0	-2000	2000	W/m^2	No		32-bit floating point	Name		Value		Name	Value
										NA_FLOAT32_FILL	-	9999.9			

		surface to atmosphere) from water surfaces												MISS_FLOAT32_FILL	-9999.8			
														ERR_FLOAT32_FILL	-9999.5			
														ELINT_FLOAT32_FILL	-9999.4			
														VDNE_FLOAT32_FILL	-9999.3			
NetHeatFlux_Ice	4byte(s)	Name		Granule Boundary	Dynamic	Min Array Size	Max Array Size											
		AlongTrack	Yes	No	48	48												
		CrossTrack	No	No	254	254												
	Datum																	
	Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values				Legend Entries					
	Total net heat flux (positive = transfer from surface to atmosphere) from ice surfaces.	0	-2000	2000	W/m^2	No		32-bit floating point	Name		Value		Name	Value				
									NA_FLOAT32_FILL	-9999.9								
									MISS_FLOAT32_FILL	-9999.8								
									ERR_FLOAT32_FILL	-9999.5								
									ELINT_FLOAT32_FILL	-9999.4								
VDNE_FLOAT32_FILL	-9999.3																	
LatentHeatFlux_Water	4byte(s)	Name		Granule Boundary	Dynamic	Min Array Size	Max Array Size											
		AlongTrack	Yes	No	48	48												
		CrossTrack	No	No	254	254												
	Datum																	
	Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values				Legend Entries					
	Latent heat	0	-2000	2000	W/m^2	No		32-bit	Name		Value		Name	Value				

		flux (positive = transfer from surface to atmosphere) from water surfaces							floatin g point	NA_FLOAT32_FILL	- 9999. 9	e	e
										MISS_FLOAT32_FILL	- 9999. 8		
										ERR_FLOAT32_FILL	- 9999. 5		
										ELINT_FLOAT32_FIL L	- 9999. 4		
										VDNE_FLOAT32_FIL L	- 9999. 3		
LatentHeatFlux_Ice	4byte(s))	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	48	48							
		CrossTrack	No	No	254	254							
	Datum												
	Description	Datum Offset	Unscale d Valid Range Min	Unscale d Valid Range Max	Measuremen t Units	Scale d	Scale Facto r Name	Data Type	Fill Values		Legend Entries		
	Latent heat flux (positive = transfer from surface to atmosphere) from ice surfaces	0	-2000	2000	W/m^2	No		32-bit floatin g point	Name	Value	Nam e	Valu e	
									NA_FLOAT32_FILL	- 9999. 9			
									MISS_FLOAT32_FILL	- 9999. 8			
									ERR_FLOAT32_FILL	- 9999. 5			
									ELINT_FLOAT32_FIL L	- 9999. 4			
								VDNE_FLOAT32_FIL L	- 9999. 3				
SensibleHeatFlux_Water	4byte(s))	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	48	48							
		CrossTrack	No	No	254	254							
	Datum												
	Description	Datum	Unscale d Valid	Unscale d Valid	Measuremen t Units	Scale d	Scale Facto	Data Type	Fill Values		Legend Entries		

			Offset	Range Min	Range Max			r Name					
		Sensible heat flux (positive = transfer from surface to atmosphere) from water surfaces	0	-2000	2000	W/m^2	No		32-bit floating point				
										Name	Value	Name	Value
										NA_FLOAT32_FILL	- 9999.9		
										MISS_FLOAT32_FILL	- 9999.8		
										ERR_FLOAT32_FILL	- 9999.5		
										ELINT_FLOAT32_FILL	- 9999.4		
										VDNE_FLOAT32_FILL	- 9999.3		
SensibleHeatFlux_Ice	4byte(s)	Name		Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack		Yes	No	48	48						
		CrossTrack		No	No	254	254						
	Datum												
	Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries		
	Sensible heat flux (positive = transfer from surface to atmosphere) from ice surfaces	0	-2000	2000	W/m^2	No		32-bit floating point					
									Name	Value	Name	Value	
									NA_FLOAT32_FILL	- 9999.9			
									MISS_FLOAT32_FILL	- 9999.8			
									ERR_FLOAT32_FILL	- 9999.5			
								ELINT_FLOAT32_FILL	- 9999.4				
								VDNE_FLOAT32_FILL	- 9999.3				
LW_Flux_Water	4byte(s)	Name		Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack		Yes	No	48	48						
		CrossTrack		No	No	254	254						

		Datum																									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries															
		Longwave flux (positive = transfer from surface to atmosphere) from water surfaces	0	-2000	2000	W/m^2	No		32-bit floating point	Name		Value															
										NA_FLOAT32_FILL	-	9999.9	Name	Value													
										MISS_FLOAT32_FILL	-	9999.8															
										ERR_FLOAT32_FILL	-	9999.5															
										ELINT_FLOAT32_FILL	-	9999.4															
										VDNE_FLOAT32_FILL	-	9999.3															
LW_Flux_Ice	4byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>48</td> <td>48</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>254</td> <td>254</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack			Yes	No	48	48	CrossTrack	No	No	254	254	Datum			
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																							
AlongTrack	Yes	No	48	48																							
CrossTrack	No	No	254	254																							
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries															
		Longwave flux (positive = transfer from surface to atmosphere) from ice surfaces	0	-2000	2000	W/m^2	No		32-bit floating point	Name		Value															
										NA_FLOAT32_FILL	-	9999.9	Name	Value													
										MISS_FLOAT32_FILL	-	9999.8															
										ERR_FLOAT32_FILL	-	9999.5															
										ELINT_FLOAT32_FILL	-	9999.4															
										VDNE_FLOAT32_FILL	-	9999.3															

SW_Flux_Water	4byte(s))	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	48	48							
		CrossTrack	No	No	254	254							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Shortwave flux (positive = transfer from surface to atmosphere) from water surfaces	0	-2000	2000	W/m^2	No		32-bit floating point	Name	Value	Name	Value
										NA_FLOAT32_FILL	-9999.9		
										MISS_FLOAT32_FILL	-9999.8		
										ERR_FLOAT32_FILL	-9999.5		
										ELINT_FLOAT32_FILL	-9999.4		
VDNE_FLOAT32_FILL	-9999.3												
SW_Flux_Ice	4byte(s))	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	48	48							
		CrossTrack	No	No	254	254							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Shortwave flux (positive = transfer from surface to atmosphere) from ice surfaces	0	-2000	2000	W/m^2	No		32-bit floating point	Name	Value	Name	Value
										NA_FLOAT32_FILL	-9999.9		
										MISS_FLOAT32_FILL	-9999.8		
										ERR_FLOAT32_FILL	-9999.5		
										ELINT_FLOAT32_FILL	-9999.4		

		the aggregated cell (nWater)								ERR_INT16_FILL	-995	
										ELINT_INT16_FILL	-994	
										VDNE_INT16_FILL	-993	
Number_Of_Ice_Pixels_In_Cell	2byte(s))	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	48	48						
		CrossTrack	No	No	254	254						
	Datum											
	Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
	Number of pixels over ice included in the aggregated cell (nlce)	0			pixels	No		16-bit integer	Name	Value	Name	Value
									NA_INT16_FILL	-999		
									MISS_INT16_FILL	-998		
									ERR_INT16_FILL	-995		
									ELINT_INT16_FILL	-994		
VDNE_INT16_FILL	-993											

Table 5.5.4.2-2, Net Heat Flux Product Profile - Quality Flags

Fields													
Name	Data Size	Dimensions											
QF1_VIIRSNHFED R	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	48	48							
		CrossTrack	No	No	254	254							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Net Heat Flux Pixel Quality (Indicates quality of retrieved value)	0			unitless	No		2 bit(s)	Name	Value	Name	Value
												Good	0
												Invalid	1
												Out of Range	2
												Exclusion	3
Net Heat Flux Over Water Quality (Indicates quality of retrieved value)	2			unitless	No		2 bit(s)	Name	Value	Name	Value		
										Good	0		
										Invalid	1		
										Out of Range	2		
										Exclusion	3		
Net Heat Flux Over Ice Quality (Indicates quality of retrieved value)	4			unitless	No		2 bit(s)	Name	Value	Name	Value		
										Good	0		
										Invalid	1		
										Out of Range	2		
										Exclusion	3		
Latent Heat Flux Over Water Quality (Indicates quality of retrieved value)	6			unitless	No		2 bit(s)	Name	Value	Name	Value		
										Good	0		
										Invalid	1		
										Out of Range	2		
										Exclusion	3		

QF2_VIIRSNHFED R	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	48	48							
		CrossTrack	No	No	254	254							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Latent Heat Flux Over Ice Quality (Indicates quality of retrieved value)	0			unitless	No		2 bit(s)	Name	Value	Name	Value
												Good	0
												Invalid	1
												Out of Range	2
												Exclusion	3
Sensible Heat Flux Over Water Quality (Indicates quality of retrieved value)	2			unitless	No		2 bit(s)	Name	Value	Name	Value		
										Good	0		
										Invalid	1		
										Out of Range	2		
										Exclusion	3		
Sensible Heat Flux Over Ice Quality (Indicates quality of retrieved value)	4			unitless	No		2 bit(s)	Name	Value	Name	Value		
										Good	0		
										Invalid	1		
										Out of Range	2		
										Exclusion	3		
Shortwave Flux Over Water Quality (Indicates quality of retrieved value)	6			unitless	No		2 bit(s)	Name	Value	Name	Value		
										Good	0		
										Invalid	1		
										Out of Range	2		
										Exclusion	3		

QF3_VIIRSNHFED R	1byte(s))	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
		AlongTrack	Yes	No	48	48					
		CrossTrack	No	No	254	254					
		Datum									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries
		Shortwave Flux Over Ice Quality (Indicates quality of retrieved value)	0			unitless	No		2 bit(s)	Name Value	Name Value
											Good 0
											Invalid 1
											Out of Range 2
										Exclusion 3	
Longwave Flux Over Water Quality (Indicates quality of retrieved value)	2			unitless	No		2 bit(s)	Name Value	Name Value		
									Good 0		
									Invalid 1		
									Out of Range 2		
								Exclusion 3			
Longwave Flux Over Ice Quality (Indicates quality of retrieved value)	4			unitless	No		2 bit(s)	Name Value	Name Value		
									Good 0		
									Invalid 1		
									Out of Range 2		
								Exclusion 3			
Sea Surface Temperature Input is of poor quality	6			unitless	No		1 bit(s)	Name Value	Name Value		
									False 0		
									True 1		
Ice Surface Temperature Input is of poor quality	7			unitless	No		1 bit(s)	Name Value	Name Value		
									False 0		
									True 1		

QF4_VIIRSNHFED R	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
		AlongTrack	Yes	No	48	48					
		CrossTrack	No	No	254	254					
		Datum									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries
		Aerosol Optical Thickness Interpolation and Climatology/NAAPS Processing Used. NAAPS or Climatology used in processing identified in EDR metadata.	0			unitless	No		2 bit(s)	Name Value	Name Value
											Direct VIIRS retrieval 0
											Interpolation Only 1
											Interpolation & Climatology/NAAPS 2
		Suspended Matter Index Input is of poor quality	2			unitless	No		1 bit(s)	Name Value	Name Value
	False 0										
	True 1										
Chlorophyll Input is of poor quality	3			unitless	No		1 bit(s)	Name Value	Name Value		
									False 0		
									True 1		
Sea Ice Age Input is of poor quality	4			unitless	No		1 bit(s)	Name Value	Name Value		
									False 0		
									True 1		
Exclusion - Cloud Present (80% or more of the moderate resolution pixels in the horizontal cell are not assigned "Confidently Clear" by the VIIRS Cloud Mask (VCM))	5			unitless	No		2 bit(s)	Name Value	Name Value		
									Clear Ocean (Water or Ice) Fraction >= 0.8 0		
									0.8 > Clear Ocean Fraction > 0.1 1		
									Clear Ocean Fraction <= 2		

												0.1 or Land		
		Sun Glint detected in horizontal cell (sun glint in horizontal cell < 36 degrees for more than 50% of aggregated pixels)	7			unitless	No			1 bit(s)	Name Value	Name Value		
												False	0	
												True	1	
QF5_VIIRSNHFED R	1byte(s))	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size								
		AlongTrack	Yes	No	48	48								
		CrossTrack	No	No	254	254								
		Datum												
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries			
		Wind Speed Source/Exclusion (Indicates the source of wind speed if less than exclusion condition or indicates that the average wind speed in horizontal cell exceeds 25 m/s)	0			unitless	No		2 bit(s)	Name Value	Name Value			
											Not Used	0		
											NWP	1		
											Exclusion (> 25 m/s)	2		
											MIS	3		
Exclusion: If average AOT in horizontal cell > 1.0 (AOT @550nm), the exclusion condition is exceeded	2			unitless	No		1 bit(s)	Name Value	Name Value					
									AOT within Range	0				
									AOT out of range	1				
Spare	3			unitless	No		5 bit(s)	Name Value	Name Value					

5.5.4.3 Net Heat Flux HDF5 Details

Figure 5.5.4.3-1, VIIRS Net Heat Flux UML Diagram, provides details on the content and datatypes of the NHF product. This UML provides details at the product level detail only. In addition to this UML, refer to the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Figure 1.2.1-1, Generalized UML Diagram for statically sized HDF5 IP/EDR Files, for a complete UML rendering of this product.

VIIRS-NHF-EDR
+NetHeatFlux_Total : H5T_NATIVE_FLOAT
+NetHeatFlux_Water : H5T_NATIVE_FLOAT
+NetHeatFlux_Ice : H5T_NATIVE_FLOAT
+LatentHeatFlux_Water : H5T_NATIVE_FLOAT
+LatentHeatFlux_Ice : H5T_NATIVE_FLOAT
+SensibleHeatFlux_Water : H5T_NATIVE_FLOAT
+SensibleHeatFlux_Ice : H5T_NATIVE_FLOAT
+LW_Flux_Water : H5T_NATIVE_FLOAT
+LW_Flux_Ice : H5T_NATIVE_FLOAT
+SW_Flux_Water : H5T_NATIVE_FLOAT
+SW_Flux_Ice : H5T_NATIVE_FLOAT
+Total_Number_Pixels_In_Cell : H5T_NATIVE_SHORT
+Number_Clear_Pixels_In_Cell : H5T_NATIVE_SHORT
+Number_Water_Pixels_In_Cell : H5T_NATIVE_SHORT
+Number_Ice_Pixels_In_Cell : H5T_NATIVE_SHORT
+QF1_VIIRSNHFEDR : H5T_NATIVE_UCHAR
+QF2_VIIRSNHFEDR : H5T_NATIVE_UCHAR
+QF3_VIIRSNHFEDR : H5T_NATIVE_UCHAR
+QF4_VIIRSNHFEDR : H5T_NATIVE_UCHAR
+QF5_VIIRSNHFEDR : H5T_NATIVE_UCHAR

Figure 5.5.4.3-1, VIIRS Net Heat Flux UML Diagram

5.5.4.4 Net Heat Flux HDF5 Metadata Details

The HDF5 metadata elements associated with the Net Heat Flux EDR are listed in the JPSS CDFCB-X Vol. V, 474-00001-05, Section 4.3, HDF5 (Metadata) Hierarchy. The NHF metadata includes all common metadata at the root, product, aggregation, and granule level.

In addition to the common metadata items for Net Heat Flux, the following items are included as name/value pairs under the granule level metadata attribute “N_Quality_Summary”:

Table 5.5.4.4-1, VIIRS NHF N_Quality_Summary Granule Level Metadata Values

N_Quality_Summary			
Name	Value	Description	Notes
Total Net Heat Flux Product Quality	0 - 100%	Percent of cells within this granule with a high quality of retrieval	
Exclusion Summary	0 - 100%	Percent of cells in this granule that have one or more of the exclusion criteria met	
Exclusion - No Ocean Coverage	0 = "Ocean Present in Granule"	This horizontal cell is/is not characterized as over ocean	
	1 = "No Ocean Present in Granule"		

5.5.4.5 Net Heat Flux Geolocation Details

Data Mnemonic	None
Description/ Purpose	The Net Heat Flux Geolocation is produced at the same resolution as the Net Heat Flux Product.
File-Naming Construct	See the JPSS CDFCB-X Vol. I, 474-00001-01, Section 3.4 for details.
File Size	Geolocation Estimated Granule Size: 395.77 KiB This granule size includes Net Heat Flux related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.
File Format Type	HDF5
Data Content and Data Format	<p>For each aggregated area, the Net Heat Flux Geolocation contains:</p> <ul style="list-style-type: none"> Time Fields Geolocation Angular Fields Height and Satellite Range Spacecraft Position, Velocity, and Attitude Spacecraft Solar Zenith and Azimuth Angles <li style="padding-left: 40px;">Geolocation Quality Flags <p>See Section 5.5.4.5, Net Heat Flux Geolocation Data Details See Section 5.5.4.6, Net Heat Flux Geolocation Product Profile See Section 5.5.4.7, Net Heat Flux Geolocation HDF5 Details See Section 5.5.4.8, Net Heat Flux Geolocation HDF5 Metadata Details</p>

Table 5.5.4.5-1, Net Heat Flux Geolocation Data Content Summary

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
StartTime	Starting Time of each scan in IET (1/1/1958)	64-bit integer	[N*48]	[48]	microsecond
MidTime	Mid-Time of each scan in IET (1/1/1958)	64-bit integer	[N*48]	[48]	microsecond
Latitude	Latitude of each cell (positive North)	32-bit floating point	[N*48, 254]	[48, 254]	degree
Longitude	Longitude of each cell (positive East)	32-bit floating point	[N*48, 254]	[48, 254]	degree
SolarZenithAngle	Zenith angle of sun at each cell position	32-bit floating point	[N*48, 254]	[48, 254]	degree
SolarAzimuthAngle	Azimuth angle of sun (measured clockwise positive from North) at each cell position	32-bit floating point	[N*48, 254]	[48, 254]	degree
SatelliteZenithAngle	Zenith angle to Satellite at each cell position	32-bit floating point	[N*48, 254]	[48, 254]	degree
SatelliteAzimuthAngle	Azimuth angle (measured clockwise positive from North) to Satellite at each cell position	32-bit floating point	[N*48, 254]	[48, 254]	degree
Height	Height above Mean Sea Level	32-bit floating point	[N*48, 254]	[48, 254]	meter
SatelliteRange	Line of sight distance from the ellipsoid intersection to the satellite	32-bit floating point	[N*48, 254]	[48, 254]	meter

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
SCPosition	Spacecraft position in ECR Coordinates (X, Y, Z) at the mid-time of scan	32-bit floating point	[N*48, 3]	[48, 3]	meter
SCVelocity	Spacecraft velocity in ECR Coordinates (dx/dt, dy/dt, dz/dt) at the mid-time of scan	32-bit floating point	[N*48, 3]	[48, 3]	m/s
SCAttitude	Spacecraft attitude with respect to Geodetic Reference Frame Coordinates (roll, pitch, yaw) at the midtime of scan	32-bit floating point	[N*48, 3]	[48, 3]	arcsecond
SCSolarZenithAngle	The angle from the normal vector of the Solar Diffuser surface (z-axis of the solar diffuser frame) to the solar vector	32-bit floating point	[N*48]	[48]	degree

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
SCSolarAzimuthAngle	The angle from the Solar Diffuser reference frame x-axis to the projection of the solar vector onto the solar diffuser surface (x-y plane), measured counterclockwise (observer looking toward the SD surface)	32-bit floating point	[N*48]	[48]	degree
QF1_SCAN_VIIRSNHFGE O	Scan Level Geolocation Quality Flags	unsigned 8-bit char	[N*48]	[48]	unitless
QF2_VIIRSNHFGE	Cell Level Geolocation Quality Flags	unsigned 8-bit char	[N*48, N*254]	[48, 254]	unitless

5.5.4.6 Net Heat Flux Geolocation Product Profile

Table 5.5.4.6-1, Net Heat Flux Geolocation Product Profile Summary

Fields													
Name	Data Size	Dimensions											
StartTime	8byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		Scan	Yes	No	48	48							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Starting Time of each scan in IET (1/1/1958)	0			microsecond	No		64-bit integer	Name	Value	Name	Value
									NA_INT64_FILL	-999			
									MISS_INT64_FILL	-998			
									ERR_INT64_FILL	-995			
									VDNE_INT64_FILL	-993			
MidTime	8byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		Scan	Yes	No	48	48							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Mid-Time of each scan in IET (1/1/1958)	0			microsecond	No		64-bit integer	Name	Value	Name	Value
									NA_INT64_FILL	-999			
									MISS_INT64_FILL	-998			
									ERR_INT64_FILL	-995			
									VDNE_INT64_FILL	-993			
Latitude	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	48	48							
		CrossTrack	No	No	254	254							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
Latitude of each cell (positive North)	0			degree	No		32-bit floating point	Name	Value	Name	Value		
									NA_FLOAT32_FILL	-	999.9		
									MISS_FLOAT32_FILL	-	999.8		
									ERR_FLOAT32_FILL	-	999.5		

														ELINT_FLOAT32_FILL	-	999.4			
														VDNE_FLOAT32_FILL	-	999.3			
Longitude	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size													
		AlongTrack	Yes	No	48	48													
		CrossTrack	No	No	254	254													
		Datum																	
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries							
		Longitude of each cell (positive East)	0			degree	No		32-bit floating point	Name	Value	Name	Value						
								NA_FLOAT32_FILL	-999.9										
								MISS_FLOAT32_FILL	-999.8										
								ERR_FLOAT32_FILL	-999.5										
								ELINT_FLOAT32_FILL	-999.4										
								VDNE_FLOAT32_FILL	-999.3										
SolarZenithAngle	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size													
		AlongTrack	Yes	No	48	48													
		CrossTrack	No	No	254	254													
		Datum																	
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries							
		Zenith angle of sun at each cell position	0			degree	No		32-bit floating point	Name	Value	Name	Value						
								NA_FLOAT32_FILL	-	999.9									
								MISS_FLOAT32_FILL	-	999.8									
								ERR_FLOAT32_FILL	-	999.5									
								ELINT_FLOAT32_FILL	-	999.4									
								VDNE_FLOAT32_FILL	-	999.3									
SolarAzimuthAngle	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size													
		AlongTrack	Yes	No	48	48													
		CrossTrack	No	No	254	254													
		Datum																	
		Description	Datum Offset	Unscaled Valid Range	Unscaled Valid Range	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries							

		Azimuth angle of sun (measured clockwise positive from North) at each cell position	0	Min	Max	degree	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>- 999.9</td> <td></td> <td></td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>- 999.8</td> <td></td> <td></td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>- 999.5</td> <td></td> <td></td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>- 999.4</td> <td></td> <td></td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>- 999.3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_FLOAT32_FILL	- 999.9			MISS_FLOAT32_FILL	- 999.8			ERR_FLOAT32_FILL	- 999.5			ELINT_FLOAT32_FILL	- 999.4			VDNE_FLOAT32_FILL	- 999.3		
Name	Value	Name	Value																															
NA_FLOAT32_FILL	- 999.9																																	
MISS_FLOAT32_FILL	- 999.8																																	
ERR_FLOAT32_FILL	- 999.5																																	
ELINT_FLOAT32_FILL	- 999.4																																	
VDNE_FLOAT32_FILL	- 999.3																																	
SatelliteZenithAngle	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																												
		AlongTrack	Yes	No	48	48																												
		CrossTrack	No	No	254	254																												
		Datum																																
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																							
Zenith angle to Satellite at each cell position	0			degree	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>- 999.9</td> <td></td> <td></td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>- 999.8</td> <td></td> <td></td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>- 999.5</td> <td></td> <td></td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>- 999.4</td> <td></td> <td></td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>- 999.3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_FLOAT32_FILL	- 999.9			MISS_FLOAT32_FILL	- 999.8			ERR_FLOAT32_FILL	- 999.5			ELINT_FLOAT32_FILL	- 999.4			VDNE_FLOAT32_FILL	- 999.3				
Name	Value	Name	Value																															
NA_FLOAT32_FILL	- 999.9																																	
MISS_FLOAT32_FILL	- 999.8																																	
ERR_FLOAT32_FILL	- 999.5																																	
ELINT_FLOAT32_FILL	- 999.4																																	
VDNE_FLOAT32_FILL	- 999.3																																	
SatelliteAzimuthAngle	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																												
		AlongTrack	Yes	No	48	48																												
		CrossTrack	No	No	254	254																												
		Datum																																
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																							
Azimuth angle (measured clockwise positive from North) to Satellite at each	0			degree	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>- 999.9</td> <td></td> <td></td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>- 999.8</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_FLOAT32_FILL	- 999.9			MISS_FLOAT32_FILL	- 999.8																
Name	Value	Name	Value																															
NA_FLOAT32_FILL	- 999.9																																	
MISS_FLOAT32_FILL	- 999.8																																	

		cell position								ERR_FLOAT32_FILL	-	999.5		
Height	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size								
		AlongTrack	Yes	No	48	48								
		CrossTrack	No	No	254	254								
		Datum												
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries		
		Height above Mean Sea Level	0			meter	No		32-bit floating point	Name	Value	Name	Value	
										NA_FLOAT32_FILL	-			
										MISS_FLOAT32_FILL	-			
										ERR_FLOAT32_FILL	-			
										ELINT_FLOAT32_FILL	-			
								VDNE_FLOAT32_FILL	-					
									999.9					
									999.8					
									999.5					
									999.4					
									999.3					
SatelliteRange	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size								
		AlongTrack	Yes	No	48	48								
		CrossTrack	No	No	254	254								
		Datum												
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries		
		Line of sight distance from the ellipsoid intersection to the satellite	0			meter	No		32-bit floating point	Name	Value	Name	Value	
										NA_FLOAT32_FILL	-			
										MISS_FLOAT32_FILL	-			
										ERR_FLOAT32_FILL	-			
										ELINT_FLOAT32_FILL	-			
								VDNE_FLOAT32_FILL	-					
									999.9					
									999.8					
									999.5					
									999.4					
									999.3					
SCPosition	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size								
		Scan	Yes	No	48	48								
		ECRCoordinate	No	No	3	3								
		Datum												

		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Name	Value	Name	Value								
		Spacecraft position in ECR Coordinates (X, Y, Z) at the mid-time of scan	0			meter	No		32-bit floating point	NA_FLOAT32_FILL	-999.9		
										MISS_FLOAT32_FILL	-999.8		
										ERR_FLOAT32_FILL	-999.5		
										VDNE_FLOAT32_FILL	-999.3		
SCVelocity	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		Scan	Yes	No	48	48							
		ECRCoordinate	No	No	3	3							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Spacecraft velocity in ECR Coordinates (dx/dt, dy/dt, dz/dt) at the mid-time of scan	0			m/s	No		32-bit floating point	NA_FLOAT32_FILL	-999.9		
										MISS_FLOAT32_FILL	-999.8		
										ERR_FLOAT32_FILL	-999.5		
										VDNE_FLOAT32_FILL	-999.3		
SCAttitude	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		Scan	Yes	No	48	48							
		GRFCoordinate	No	No	3	3							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Spacecraft attitude with respect to Geodetic Reference Frame Coordinates (roll, pitch, yaw) at the	0			arcsecond	No		32-bit floating point	NA_FLOAT32_FILL	-999.9		
										MISS_FLOAT32_FILL	-999.8		
										ERR_FLOAT32_FILL	-999.5		
										VDNE_FLOAT32_FILL	-999.3		

		midtime of scan										
SCSolarZenithAngle	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		Scan	Yes	No	48	48						
		Datum										
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries
		The angle from the normal vector of the Solar Diffuser surface (z-axis of the solar diffuser frame) to the solar vector	0			degree	No		32-bit floating point	Name	Value	Name
								NA_FLOAT32_FILL	- 999.9			
								MISS_FLOAT32_FILL	- 999.8			
								ERR_FLOAT32_FILL	- 999.5			
								VDNE_FLOAT32_FILL	- 999.3			
SCSolarAzimuthAngle	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		Scan	Yes	No	48	48						
		Datum										
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries
		The angle from the Solar Diffuser reference frame x-axis to the projection of the solar vector onto the solar diffuser surface (x-y plane), measured counterclockwise (observer looking toward the SD surface)	0			degree	No		32-bit floating point	Name	Value	Name
								NA_FLOAT32_FILL	- 999.9			
								MISS_FLOAT32_FILL	- 999.8			
								ERR_FLOAT32_FILL	- 999.5			
								VDNE_FLOAT32_FILL	- 999.3			

Table 5.5.4.6-2, Net Heat Flux Geolocation Product Profile - Quality Flags

Fields													
Name	Data Size	Dimensions											
QF1_SCAN_VIIRSNHFGEO	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		Scan	Yes	No	48	48							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		Attitude and Ephemeris Availability Status	0			unitless	No		2 bit(s)	Name	Value	Name	Value
												Nominal - E&A data available	0
												Missing Data <= Small Gap	1
												Small Gap < Missing Data < Granule Boundary	2
		HAM/RTA Encoder Flag - Indicates the quality of the HAM and RTA encoder timestamps	2			unitless	No		2 bit(s)	Name	Value	Name	Value
												Good Data	0
										Bad Data - either HAM, RTA, or both are bad for the entire scan	1		
										Degraded Data - either HAM, RTA, or both are corrupted within the scan.	2		
Within South Atlantic Anomaly	4			unitless	No		1 bit(s)	Name	Value	Name	Value		
										False	0		
										True	1		
Solar Eclipse during Earth view	5			unitless	No		1 bit(s)	Name	Value	Name	Value		

		scan									False	0			
											True	1			
		Spare	6			unitless	No		1 bit(s)	Name	Value	Name	Value		
		Half Angle Mirror side	7			unitless	No		1 bit(s)	Name	Value	Name	Value		
												Mirror Side A	0		
												Mirror Side B	1		
QF2_VIIRSNHFGEO	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size									
		AlongTrack	Yes	No	48	48									
		CrossTrack	Yes	No	254	254									
		Datum													
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries				
		Invalid Input Data (Indicates that any of the Spacecraft Ephemeris or Attitude Data is Invalid or the encoder data is invalid)	0			unitless	No		1 bit(s)	Name	Value	Name	Value	False	0
												True	1		
		Bad Pointing (Indicates that the sensor LOS does not intersect the geoid or is near the limb based upon sensor zenith angle.)	1			unitless	No		1 bit(s)	Name	Value	Name	Value	False	0
												True	1		
		Bad Terrain (Indicates that the algorithm could not obtain a valid terrain value.)	2			unitless	No		1 bit(s)	Name	Value	Name	Value	False	0
										True	1				
Invalid Solar Angles	3			unitless	No		1 bit(s)	Name	Value	Name	Value	False	0		
										True	1				
Spare	4			unitless	No		4 bit(s)	Name	Value	Name	Value				

5.5.4.7 Net Heat Flux Geolocation HDF5 Details

The Net Heat Flux Geolocation is based on the average position of the (12km x 12km) aggregated cells, each of which is based on the VIIRS moderate resolution SDR, terrain corrected. Figure 5.5.4.7-1, VIIRS Net Heat Flux Geolocation UML Diagram, provides details on the contents and datatypes of the NHF geolocation.

VIIRS-NHF-EDR-GEO
+StartTime : H5T_NATIVE_LLONG
+MidTime : H5T_NATIVE_LLONG
+Latitude : H5T_NATIVE_FLOAT
+Longitude : H5T_NATIVE_FLOAT
+SolarZenithAngle : H5T_NATIVE_FLOAT
+SolarAzimuthAngle : H5T_NATIVE_FLOAT
+SatelliteZenithAngle : H5T_NATIVE_FLOAT
+SatelliteAzimuthAngle : H5T_NATIVE_FLOAT
+Height : H5T_NATIVE_FLOAT
+SatelliteRange : H5T_NATIVE_FLOAT
+SCPosition : H5T_NATIVE_FLOAT
+SCVelocity : H5T_NATIVE_FLOAT
+SCAttitude : H5T_NATIVE_FLOAT
+SCSolarZenithAngle : H5T_NATIVE_FLOAT
+SCSolarAzimuthAngle : H5T_NATIVE_FLOAT
+QF1_SCAN_VIIRSNHFGEO : H5T_NATIVE_UCHAR
+QF2_VIIRSNHFGEO : H5T_NATIVE_UCHAR

Figure 5.5.4.7-1, VIIRS Net Heat Flux Geolocation UML Diagram

5.5.4.8 Net Heat Flux Geolocation HDF5 Metadata Details

The HDF5 metadata elements associated with the Net Heat Flux Geolocation EDR are listed in the JPSS CDFCB-X Vol. V, 474-00001-05, Section 4.3, HDF5 (Metadata) Hierarchy. The NHF Geolocation metadata includes all common metadata at the root, product, aggregation, and granule level.

In addition to the common metadata items for Net Heat Flux, the following items are included as name/value pairs under the granule level metadata attribute “N_Quality_Summary”:

Table 5.5.4.8-1, VIIRS NHF Geolocation N_Quality_Summary Granule Level Metadata Values

N_Quality_Summary			
Name	Value	Description	Notes
QA Percent Missing Data	0 - 100%	Contains the percentage of missing data equal to the quotient of the number of pixels with missing data over the total number of pixels in the granule.	
QA Percent Out of Bounds Data	0 - 100%	Contains the percentage of out of bounds data equal to the quotient of the number of pixels with out of bounds data over the total number of pixels in the granule.	
Automatic Quality Flag	0 = "Retrieval Successful" 1 = "Retrieval not Successful" (one or more geolocation subroutines failed)	String containing "Retrieval Successful" or "Retrieval not Successful" depending on granule level quality assurance metadata retrieval success	

5.5.5 Ocean Color/Chlorophyll

Data Mnemonic	EDRE-VROC-C0030 (Official) EDRE-VROC-C0031 (Substitute)
Description/ Purpose	<p>Ocean color is defined as the spectrum of normalized water-leaving radiances (nL_w). All geophysical quantities of interest, e.g., the concentration of phytoplankton pigment chlorophyll-α and the inherent optical properties of absorption and backscattering of surface waters (ocean optical properties), are derived from these nL_w values.</p> <p>Normalized water-leaving radiances are measured in $W * m^{-2} * sr^{-1} * \mu m^{-1}$</p> <p>Ocean optical properties, absorption and backscattering, are estimated at each measured visible wavelength, and have units of m^{-1} while chlorophyll-α is measured in $mg m^{-3}$.</p> <p>The Ocean Color/Chlorophyll EDR is required under clear, daytime conditions only. "Clear" for this EDR is a cloud mask indicator of "confidently clear" for the horizontal cell of interest.</p> <p>Day condition for this EDR is when the solar zenith angle is less than or equal to 70 degrees and when the cloud mask does not indicate that the cell of interest is in a shadow.</p> <p>Sensors: VIIRS</p> <p>Effectivity: NPP and NPOESS</p>
File-Naming Construct	See the JPSS CDFCB-X Vol. I, 474-00001-01, Section 3.4 for details.
File Size	<p>Estimated Granule Size: 166.4 MiB</p> <p>This granule size includes OCC related fields only and is based on a VIIRS granule size consisting of 48 scans. Metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
File Format Type	HDF5
Data Content and Data Format	<p>See Section 5.5.5.1, VIIRS Ocean Color Chlorophyll Data Content Summary</p> <p>See Section 5.5.5.2, VIIRS Ocean Color Chlorophyll Product Profile</p> <p>See Section 5.5.5.3, VIIRS Ocean Color Chlorophyll HDF5 Details</p> <p>See Section 5.5.5.4, VIIRS Ocean Color Chlorophyll HDF5 Metadata Details</p>

	See Section 5.5.5.5, VIIRS Ocean Color Chlorophyll Geolocation Details
--	--

5.5.5.1 VIIRS Ocean Color Chlorophyll Data Content Summary

Table 5.5.5.1-1, VIIRS Ocean Color Chlorophyll Data Content Summary

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
Chlorophyll_a	Concentration of chlorophyll in a vertical column of the surface layer in the ocean	32-bit floating point	[N*768, 3200]	[768, 3200]	mg/m ³
IOP_a_412nm	Inherent Optical Properties - Absorption at 412nm	32-bit floating point	[N*768, 3200]	[768, 3200]	m ⁻¹
IOP_a_445nm	Inherent Optical Properties - Absorption at 445nm	32-bit floating point	[N*768, 3200]	[768, 3200]	m ⁻¹
IOP_a_488nm	Inherent Optical Properties - Absorption at 488nm	32-bit floating point	[N*768, 3200]	[768, 3200]	m ⁻¹
IOP_a_555nm	Inherent Optical Properties - Absorption at 555nm	32-bit floating point	[N*768, 3200]	[768, 3200]	m ⁻¹
IOP_a_672nm	Inherent Optical Properties - Absorption at 672nm	32-bit floating point	[N*768, 3200]	[768, 3200]	m ⁻¹
IOP_s_412nm	Inherent Optical Properties - Backscattering at 412nm	32-bit floating point	[N*768, 3200]	[768, 3200]	m ⁻¹
IOP_s_445nm	Inherent Optical Properties - Backscattering at 445nm	32-bit floating point	[N*768, 3200]	[768, 3200]	m ⁻¹
IOP_s_488nm	Inherent Optical Properties - Backscattering at 488nm	32-bit floating point	[N*768, 3200]	[768, 3200]	m ⁻¹
IOP_s_555nm	Inherent Optical Properties - Backscattering at 555nm	32-bit floating point	[N*768, 3200]	[768, 3200]	m ⁻¹

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
IOP_s_672nm	Inherent Optical Properties - Backscattering at 672nm	32-bit floating point	[N*768, 3200]	[768, 3200]	m ⁻¹
nLw_412nm	Normalized Water Leaving Radiance at 412nm	32-bit floating point	[N*768, 3200]	[768, 3200]	W/(m ² sr μm)
nLw_445nm	Normalized Water Leaving Radiance at 445nm	32-bit floating point	[N*768, 3200]	[768, 3200]	W/(m ² sr μm)
nLw_488nm	Normalized Water Leaving Radiance at 488nm	32-bit floating point	[N*768, 3200]	[768, 3200]	W/(m ² sr μm)
nLw_555nm	Normalized Water Leaving Radiance at 555nm	32-bit floating point	[N*768, 3200]	[768, 3200]	W/(m ² sr μm)
nLw_672nm	Normalized Water Leaving Radiance at 672nm	32-bit floating point	[N*768, 3200]	[768, 3200]	W/(m ² sr μm)
QF1_VIIRSOCCEDR	Pixel Level Quality Flags	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF2_VIIRSOCCEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF3_VIIRSOCCEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF4_VIIRSOCCEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF5_VIIRSOCCEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF6_VIIRSOCCEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF7_VIIRSOCCEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless

5.5.5.2 VIIRS Ocean Color Chlorophyll Product Profile

Table 5.5.5.2-1, VIIRS Ocean Color Chlorophyll Product Profile

Fields													
Name	Data Size	Dimensions											
Chlorophyll_a	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Concentration of chlorophyll in a vertical column of the surface layer in the ocean	0	0.05	50	mg/m^3	No		32-bit floating point	Name	Value		
										NA_FLOAT32_FILL	-		
										MISS_FLOAT32_FILL	999.9		
										ONBOARD_PT_FLOAT32_FILL	-		
										ONGROUND_PT_FLOAT32_FILL	999.7		
										ERR_FLOAT32_FILL	-		
										ELINT_FLOAT32_FILL	999.6		
VDNE_FLOAT32_FILL	-												
	999.5												
	999.4												
	999.4												
	-												
	999.3												
IOP_a_412nm	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
		Inherent Optical Properties - Absorption at 412nm	0	0.01	10	m^-1	No		32-bit floating point	Name	Value		
										NA_FLOAT32_FILL	-		
										MISS_FLOAT32_FILL	999.9		
			-										
			999.8										

											ONBOARD_PT_FLOAT32_FILL	-	999.7		
											ONGROUND_PT_FLOAT32_FILL	-	999.6		
											ERR_FLOAT32_FILL	-	999.5		
											ELINT_FLOAT32_FILL	-	999.4		
											VDNE_FLOAT32_FILL	-	999.3		
IOP_a_445nm	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size									
		AlongTrack	Yes	No	768	768									
		CrossTrack	No	No	3200	3200									
		Datum													
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries			
		Inherent Optical Properties - Absorption at 445nm	0	0.01	10	m^-1	No		32-bit floating point	Name	Value	Name	Value		
										NA_FLOAT32_FILL	-				
										MISS_FLOAT32_FILL	-				
										ONBOARD_PT_FLOAT32_FILL	-				
										ONGROUND_PT_FLOAT32_FILL	-				
ERR_FLOAT32_FILL	-														
ELINT_FLOAT32_FILL	-														
VDNE_FLOAT32_FILL	-														
IOP_a_488nm	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size									
		AlongTrack	Yes	No	768	768									
		CrossTrack	No	No	3200	3200									
		Datum													
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries			
		Inherent Optical Properties -	0	0.01	10	m^-1	No		32-bit floating point	Name	Value	Name	Value		
										NA_FLOAT32_FILL	-				

		Absorption at 488nm												MISS_FLOAT32_FILL	-	999.8																																																													
														ONBOARD_PT_FLOAT32_FILL	-	999.7																																																													
														ONGROUND_PT_FLOAT32_FILL	-	999.6																																																													
														ERR_FLOAT32_FILL	-	999.5																																																													
														ELINT_FLOAT32_FILL	-	999.4																																																													
														VDNE_FLOAT32_FILL	-	999.3																																																													
IOP_a_555nm	4byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>768</td> <td>768</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>3200</td> <td>3200</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	768	768	CrossTrack	No	No	3200	3200	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th colspan="2">Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td rowspan="8">Inherent Optical Properties - Absorption at 555nm</td> <td rowspan="8">0</td> <td rowspan="8">0.01</td> <td rowspan="8">10</td> <td rowspan="8">m⁻¹</td> <td rowspan="8">No</td> <td rowspan="8"></td> <td rowspan="8">32-bit floating point</td> <td>Name</td> <td>Value</td> <td rowspan="8">Name Value</td> </tr> <tr> <td>NA_FLOAT32_FILL</td> <td>-</td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-</td> </tr> <tr> <td>ONBOARD_PT_FLOAT32_FILL</td> <td>-</td> </tr> <tr> <td>ONGROUND_PT_FLOAT32_FILL</td> <td>-</td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-</td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-</td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-</td> </tr> </tbody> </table>										Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	Inherent Optical Properties - Absorption at 555nm	0	0.01	10	m ⁻¹	No		32-bit floating point	Name	Value	Name Value	NA_FLOAT32_FILL	-	MISS_FLOAT32_FILL	-	ONBOARD_PT_FLOAT32_FILL	-	ONGROUND_PT_FLOAT32_FILL	-	ERR_FLOAT32_FILL	-	ELINT_FLOAT32_FILL	-	VDNE_FLOAT32_FILL	-
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																									
AlongTrack	Yes	No	768	768																																																																									
CrossTrack	No	No	3200	3200																																																																									
Datum																																																																													
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries																																																																			
Inherent Optical Properties - Absorption at 555nm	0	0.01	10	m ⁻¹	No		32-bit floating point	Name	Value	Name Value																																																																			
								NA_FLOAT32_FILL	-																																																																				
								MISS_FLOAT32_FILL	-																																																																				
								ONBOARD_PT_FLOAT32_FILL	-																																																																				
								ONGROUND_PT_FLOAT32_FILL	-																																																																				
								ERR_FLOAT32_FILL	-																																																																				
								ELINT_FLOAT32_FILL	-																																																																				
								VDNE_FLOAT32_FILL	-																																																																				
IOP_a_672nm	4byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>768</td> <td>768</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>3200</td> <td>3200</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	768	768	CrossTrack	No	No	3200	3200	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th colspan="2">Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Inherent</td> <td rowspan="2">0</td> <td rowspan="2">0.01</td> <td rowspan="2">10</td> <td rowspan="2">m⁻¹</td> <td rowspan="2">No</td> <td rowspan="2"></td> <td rowspan="2">32-bit</td> <td>Name</td> <td>Value</td> <td rowspan="2">Name Value</td> </tr> <tr> <td></td> <td></td> </tr> </tbody> </table>										Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	Inherent	0	0.01	10	m ⁻¹	No		32-bit	Name	Value	Name Value														
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																									
AlongTrack	Yes	No	768	768																																																																									
CrossTrack	No	No	3200	3200																																																																									
Datum																																																																													
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries																																																																			
Inherent	0	0.01	10	m ⁻¹	No		32-bit	Name	Value	Name Value																																																																			

		Optical Properties - Absorption at 672nm							floating point	NA_FLOAT32_FILL	- 999.9	
										MISS_FLOAT32_FILL	- 999.8	
										ONBOARD_PT_FLOAT32_FILL	- 999.7	
										ONGROUND_PT_FLOAT32_FILL	- 999.6	
										ERR_FLOAT32_FILL	- 999.5	
										ELINT_FLOAT32_FILL	- 999.4	
										VDNE_FLOAT32_FILL	- 999.3	
IOP_s_412nm	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
	Datum											
	Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
	Inherent Optical Properties - Backscattering at 412nm	0	0.01	50	m^-1	No		32-bit floating point	Name	Value	Name	Value
									NA_FLOAT32_FILL	- 999.9		
									MISS_FLOAT32_FILL	- 999.8		
									ONBOARD_PT_FLOAT32_FILL	- 999.7		
									ONGROUND_PT_FLOAT32_FILL	- 999.6		
ERR_FLOAT32_FILL									- 999.5			
ELINT_FLOAT32_FILL									- 999.4			
VDNE_FLOAT32_FILL	- 999.3											
IOP_s_445nm	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
	Datum											
	Description	Datum Offset	Unscaled Valid Range	Unscaled Valid Range	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	

		Inherent Optical Properties - Backscattering at 445nm	0	0.01	50	m ⁻¹	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> <td></td> <td></td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-999.8</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_FLOAT32_FILL</td> <td>-999.7</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_FLOAT32_FILL</td> <td>-999.6</td> <td></td> <td></td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-999.5</td> <td></td> <td></td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-999.4</td> <td></td> <td></td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-999.3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_FLOAT32_FILL	-999.9			MISS_FLOAT32_FILL	-999.8			ONBOARD_PT_FLOAT32_FILL	-999.7			ONGROUND_PT_FLOAT32_FILL	-999.6			ERR_FLOAT32_FILL	-999.5			ELINT_FLOAT32_FILL	-999.4			VDNE_FLOAT32_FILL	-999.3																																																
Name	Value	Name	Value																																																																																					
NA_FLOAT32_FILL	-999.9																																																																																							
MISS_FLOAT32_FILL	-999.8																																																																																							
ONBOARD_PT_FLOAT32_FILL	-999.7																																																																																							
ONGROUND_PT_FLOAT32_FILL	-999.6																																																																																							
ERR_FLOAT32_FILL	-999.5																																																																																							
ELINT_FLOAT32_FILL	-999.4																																																																																							
VDNE_FLOAT32_FILL	-999.3																																																																																							
IOP_s_488nm	4byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>768</td> <td>768</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>3200</td> <td>3200</td> </tr> </tbody> </table>	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	768	768	CrossTrack	No	No	3200	3200	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th colspan="2">Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Inherent Optical Properties - Backscattering at 488nm</td> <td>0</td> <td>0.01</td> <td>50</td> <td>m⁻¹</td> <td>No</td> <td></td> <td>32-bit floating point</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> <td></td> <td></td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-999.8</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_FLOAT32_FILL</td> <td>-999.7</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_FLOAT32_FILL</td> <td>-999.6</td> <td></td> <td></td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-999.5</td> <td></td> <td></td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-999.4</td> <td></td> <td></td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-999.3</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> </tbody> </table>								Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	Inherent Optical Properties - Backscattering at 488nm	0	0.01	50	m ⁻¹	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> <td></td> <td></td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-999.8</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_FLOAT32_FILL</td> <td>-999.7</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_FLOAT32_FILL</td> <td>-999.6</td> <td></td> <td></td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-999.5</td> <td></td> <td></td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-999.4</td> <td></td> <td></td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-999.3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_FLOAT32_FILL	-999.9			MISS_FLOAT32_FILL	-999.8			ONBOARD_PT_FLOAT32_FILL	-999.7			ONGROUND_PT_FLOAT32_FILL	-999.6			ERR_FLOAT32_FILL	-999.5			ELINT_FLOAT32_FILL	-999.4			VDNE_FLOAT32_FILL	-999.3			
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																				
AlongTrack	Yes	No	768	768																																																																																				
CrossTrack	No	No	3200	3200																																																																																				
Datum																																																																																								
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries																																																																														
Inherent Optical Properties - Backscattering at 488nm	0	0.01	50	m ⁻¹	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> <td></td> <td></td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-999.8</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_FLOAT32_FILL</td> <td>-999.7</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_FLOAT32_FILL</td> <td>-999.6</td> <td></td> <td></td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-999.5</td> <td></td> <td></td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-999.4</td> <td></td> <td></td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-999.3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_FLOAT32_FILL	-999.9			MISS_FLOAT32_FILL	-999.8			ONBOARD_PT_FLOAT32_FILL	-999.7			ONGROUND_PT_FLOAT32_FILL	-999.6			ERR_FLOAT32_FILL	-999.5			ELINT_FLOAT32_FILL	-999.4			VDNE_FLOAT32_FILL	-999.3																																																		
Name	Value	Name	Value																																																																																					
NA_FLOAT32_FILL	-999.9																																																																																							
MISS_FLOAT32_FILL	-999.8																																																																																							
ONBOARD_PT_FLOAT32_FILL	-999.7																																																																																							
ONGROUND_PT_FLOAT32_FILL	-999.6																																																																																							
ERR_FLOAT32_FILL	-999.5																																																																																							
ELINT_FLOAT32_FILL	-999.4																																																																																							
VDNE_FLOAT32_FILL	-999.3																																																																																							
IOP_s_555nm	4byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>768</td> <td>768</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>3200</td> <td>3200</td> </tr> </tbody> </table>	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	768	768	CrossTrack	No	No	3200	3200	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th colspan="2">Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Inherent Optical Properties - Backscattering at 555nm</td> <td>0</td> <td>0.01</td> <td>50</td> <td>m⁻¹</td> <td>No</td> <td></td> <td>32-bit floating point</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> </tbody> </table>								Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	Inherent Optical Properties - Backscattering at 555nm	0	0.01	50	m ⁻¹	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_FLOAT32_FILL	-999.9																											
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																				
AlongTrack	Yes	No	768	768																																																																																				
CrossTrack	No	No	3200	3200																																																																																				
Datum																																																																																								
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries																																																																														
Inherent Optical Properties - Backscattering at 555nm	0	0.01	50	m ⁻¹	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_FLOAT32_FILL	-999.9																																																																										
Name	Value	Name	Value																																																																																					
NA_FLOAT32_FILL	-999.9																																																																																							

											MISS_FLOAT32_FILL	-	999.8		
											ONBOARD_PT_FLOAT32_FILL	-	999.7		
											ONGROUND_PT_FLOAT32_FILL	-	999.6		
											ERR_FLOAT32_FILL	-	999.5		
											ELINT_FLOAT32_FILL	-	999.4		
											VDNE_FLOAT32_FILL	-	999.3		
IOP_s_672nm	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size									
		AlongTrack	Yes	No	768	768									
		CrossTrack	No	No	3200	3200									
		Datum													
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries			
		Inherent Optical Properties - Backscattering at 672nm	0	0.01	50	m^-1	No		32-bit floating point	Name	Value	Name	Value		
										NA_FLOAT32_FILL	-	999.9			
										MISS_FLOAT32_FILL	-	999.8			
										ONBOARD_PT_FLOAT32_FILL	-	999.7			
										ONGROUND_PT_FLOAT32_FILL	-	999.6			
								ERR_FLOAT32_FILL	-	999.5					
								ELINT_FLOAT32_FILL	-	999.4					
								VDNE_FLOAT32_FILL	-	999.3					
nLw_412nm	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size									
		AlongTrack	Yes	No	768	768									
		CrossTrack	No	No	3200	3200									
		Datum													
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries			
		Normalized	0	0.1	40	W/(m^2*sr*µm)	No		32-bit	Name	Value	Name	Value		

		Water Leaving Radiance at 412nm							floating point	NA_FLOAT32_FILL	- 999.9	
										MISS_FLOAT32_FILL	- 999.8	
										ONBOARD_PT_FLOAT32_FILL	- 999.7	
										ONGROUND_PT_FLOAT32_FILL	- 999.6	
										ERR_FLOAT32_FILL	- 999.5	
										ELINT_FLOAT32_FILL	- 999.4	
										VDNE_FLOAT32_FILL	- 999.3	
nLw_445nm	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
	Datum											
	Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	
	Normalized Water Leaving Radiance at 445nm	0	0.1	40	W/(m ² *sr*μm)	No		32-bit floating point	Name	Value	Name	Value
									NA_FLOAT32_FILL	- 999.9		
										MISS_FLOAT32_FILL	- 999.8	
										ONBOARD_PT_FLOAT32_FILL	- 999.7	
										ONGROUND_PT_FLOAT32_FILL	- 999.6	
									ERR_FLOAT32_FILL	- 999.5		
									ELINT_FLOAT32_FILL	- 999.4		
								VDNE_FLOAT32_FILL	- 999.3			
nLw_488nm	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
	Datum											
	Description	Datum Offset	Unscaled Valid Range	Unscaled Valid Range	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries	

	Offset	Valid Range Min	Valid Range Max	Units		Factor Name	Type			Entries	
								Name	Value	Name	Value
Normalized Water Leaving Radiance at 672nm	0	0.1	40	W/(m ² *sr*μm)	No		32-bit floating point	NA_FLOAT32_FILL	-		
									999.9		
								MISS_FLOAT32_FILL	-		
									999.8		
								ONBOARD_PT_FLOAT32_FILL	-		
									999.7		
								ONGROUND_PT_FLOAT32_FILL	-		
									999.6		
								ERR_FLOAT32_FILL	-		
	999.5										
ELINT_FLOAT32_FILL	-										
	999.4										
VDNE_FLOAT32_FILL	-										
	999.3										

Table 5.5.5.2-2, VIIRS Ocean Color Chlorophyll Product Profile - Quality Flags

Fields													
Name	Data Size	Dimensions											
QF1_VIIRSOCCEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		Indicates pixel level Normalized Water-Leaving Radiance quality at M1	0			unitless	No		1 bit(s)	Name Value	Name	Value	
										Good	0	Poor	1
		Indicates pixel level Normalized Water-Leaving Radiance quality at M2	1			unitless	No		1 bit(s)	Name Value	Name	Value	
										Good	0	Poor	1
		Indicates pixel level Normalized Water-Leaving Radiance quality at M3	2			unitless	No		1 bit(s)	Name Value	Name	Value	
										Good	0	Poor	1
Indicates pixel level Normalized Water-Leaving Radiance quality at M4	3			unitless	No		1 bit(s)	Name Value	Name	Value			
								Good	0	Poor	1		
Indicates pixel level Normalized Water-Leaving Radiance quality at M5	4			unitless	No		1 bit(s)	Name Value	Name	Value			
								Good	0	Poor	1		
Indicates pixel level chlorophyll a concentration quality	5			unitless	No		1 bit(s)	Name Value	Name	Value			
								Good	0	Poor	1		
Indicates pixel level IOP-a (Inherent Optical Properties-Absorption) quality at M1	6			unitless	No		1 bit(s)	Name Value	Name	Value			
								Good	0	Poor	1		
Indicates pixel level IOP-s (Inherent Optical Properties-Scattering) quality at M1	7			unitless	No		1 bit(s)	Name Value	Name	Value			
								Good	0	Poor	1		
QF2_VIIRSOCCEDR	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
Datum													

Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries		
								Name	Value	Name	Value	
Indicates pixel level IOP-a (Inherent Optical Properties-Absorption) quality at M2	0			unitless	No		1 bit(s)			Good	0	
										Poor	1	
Indicates pixel level IOP-s (Inherent Optical Properties-Scattering) quality at M2	1			unitless	No		1 bit(s)			Good	0	
										Poor	1	
Indicates pixel level IOP-a (Inherent Optical Properties-Absorption) quality at M3	2			unitless	No		1 bit(s)			Good	0	
										Poor	1	
Indicates pixel level IOP-s (Inherent Optical Properties-Scattering) quality at M3	3			unitless	No		1 bit(s)			Good	0	
										Poor	1	
Indicates pixel level IOP-a (Inherent Optical Properties-Absorption) quality at M4	4			unitless	No		1 bit(s)			Good	0	
										Poor	1	
Indicates pixel level IOP-s (Inherent Optical Properties-Scattering) quality at M4	5			unitless	No		1 bit(s)			Good	0	
										Poor	1	
Indicates pixel level IOP-a (Inherent Optical Properties-Absorption) quality at M5	6			unitless	No		1 bit(s)			Good	0	
										Poor	1	
Indicates pixel level IOP-s (Inherent Optical Properties-Scattering) quality at M5	7			unitless	No		1 bit(s)			Good	0	
										Poor	1	
QF3_VIIRSOCCEDR	1byte(s)	Name		Granule Boundary	Dynamic	Min Array Size	Max Array Size					
		AlongTrack		Yes	No	768	768					
		CrossTrack		No	No	3200	3200					
Datum												
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries		
SDR quality for bands M1 to M7 (Any one band out of range is considered poor quality)	0			unitless	No		1 bit(s)	Name	Value	Name		Value
										Good for all 7 bands		0
										Poor (any band greater than thresholds)		1

		Input Total Ozone Column Quality	1			unitless	No		1 bit(s)	Name Value	Name Value	Good 0 Poor 1	
		Wind speed exceeds threshold of 8 m/s (Whitecap formation)	2			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Epsilon value is out of aerosol model range (eps <= 0.85 or eps >= 1.35)	3			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Atmospheric Correction Failure (Indicates at which correction step the algorithm first fails)	4			unitless	No		3 bit(s)	Name Value	Name Value	Correction successful 0 Ozone failed 1 Whitecap failed 2 Polarization failed 3 Rayleigh failed 4 Aerosol failed 5 Zero diffuse trans 6 No Correction Possible 7	
		Spare	7			unitless	No		1 bit(s)	Name Value	Name Value		
QF4_VIIRSOCCEDR	1byte(s)	Name Granule Boundary Dynamic Min Array Size Max Array Size											
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		Land/ Water Mask (Identifies the type of Earth surface that lies along the instruments line of sight - obtained from VIIRS Cloud Mask)	0			unitless	No		2 bit(s)	Name Value	Name Value	Sea water 0 Coastal water 1 Inland water 2 Land 3	
		Snow or Ice in Pixel (from the VIIRS Cloud Mask)	2			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	

		Solar Zenith Angle=> 70 deg (Day/Night Exclusion - Horizontal cell contains only nighttime. Solar Zenith Angle => 70 deg at center of horizontal cell)	3			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Sun Glint detected in pixel as indicated in the VIIRS Cloud Mask	4			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Exclusion - Horizontal Reporting Interval (HRI) (Sensor Zenith Angle > 60.0 degrees)	5			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Degradation - Horizontal cell contains shallow water; Depth < 50 meters	6			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Spare	7			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
QF5_VIIRSOCCED R	1byte(s))	Name Granule Boundary Dynamic Min Array Size Max Array Size											
		AlongTrack	Yes	No	768	768							
		CrossTrack	No	No	3200	3200							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		Cloud Confidence Indicator (Indicator of whether 'M' band pixel confidently clear, probably clear, probably cloudy or confidently cloudy, from VIIRS Cloud Mask)	0			unitless	No		2 bit(s)	Name Value	Name Value	Confidently clear 0 Probably clear 1 Probably cloudy 2 Confidently cloudy 3	
		Adjacent Pixel is not confidently clear (as determined by the VIIRS Cloud Mask)	2			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Thin Cirrus Cloud Detected in Pixel as determined by the VIIRS Cloud Mask	3			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	
		Exclusion: Cloud Shadow detected in Pixel (as determined by the VIIRS Cloud Mask)	4			unitless	No		1 bit(s)	Name Value	Name Value	False 0 True 1	

		Non-Cloud Obstruction detected in Pixel (Heavy Aerosol) - as determined by the VIIRS Cloud Mask	5			unitless	No		1 bit(s)	Name	Value	Name	Value	
												False	0	
												True	1	
		Exclusion: Strongly absorbing aerosol detected in pixel (Single scattering albedo at M4 wavelength (555nm) <0.7)	6			unitless	No		1 bit(s)	Name	Value	Name	Value	
												False	0	
												True	1	
		Exclusion: AOT > 0.3 (AOT in horizontal cell > 0.3 on the slant path (AOT @865nm, M7))	7			unitless	No		1 bit(s)	Name	Value	Name	Value	
												False	0	
												True	1	
QF6_VIIRSOCCE R	1byte(s))	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size								
		AlongTrack	Yes	No	768	768								
		CrossTrack	No	No	3200	3200								
		Datum												
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scale	Scale Factor Name	Data Type	Fill Values		Legend Entries		
		Exclusion: Turbid Water detected in Pixel (Remote Sensing Reflectance (M5) > 0.0012)	0			unitless	No		1 bit(s)	Name	Value	Name	Value	
												False	0	
												True	1	
		Coccolithophores detected in Pixel : (nLw(M2)>=1.1 & nLw(M4)>=0.81 & Laero(M6)<= 1.1 & 0.6<=nLw(M2)/nLw(M4)<=1.1)	1			unitless	No		1 bit(s)	Name	Value	Name	Value	
												False	0	
										True	1			
Exclusion: Dissolved organic matter absorption at 410nm > 2/meter	2			unitless	No		1 bit(s)	Name	Value	Name	Value			
										False	0			
										True	1			
Range of Chlorophyll Concentration	3			unitless	No		2 bit(s)	Name	Value	Name		Value		
										No Chlorophyll Retrieval	0			
										Chlorophyll<1mg/m^3	1			
										1.0<=Chlorophyll<10mg/m^3	2			
										Chlorophyll>=10mg/m^3	3			

		Carder Bio-Optics Algorithm Branching (The various branching and model mixing within the Carder bio-optics algorithm)	5			unitless	No		3 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Carder empirical</td> <td>1</td> </tr> <tr> <td>Unpackaged phytoplankton</td> <td>2</td> </tr> <tr> <td>Weighted global-unpackaged</td> <td>3</td> </tr> <tr> <td>Weighted packaged-global</td> <td>4</td> </tr> <tr> <td>Weighted fully packaged-packaged</td> <td>5</td> </tr> <tr> <td>Fully packaged phytoplankton</td> <td>6</td> </tr> <tr> <td>No OCC Retrieval</td> <td>7</td> </tr> </tbody> </table>	Name	Value	Carder empirical	1	Unpackaged phytoplankton	2	Weighted global-unpackaged	3	Weighted packaged-global	4	Weighted fully packaged-packaged	5	Fully packaged phytoplankton	6	No OCC Retrieval	7																																																																																																																																																								
Name	Value																																																																																																																																																																																	
Carder empirical	1																																																																																																																																																																																	
Unpackaged phytoplankton	2																																																																																																																																																																																	
Weighted global-unpackaged	3																																																																																																																																																																																	
Weighted packaged-global	4																																																																																																																																																																																	
Weighted fully packaged-packaged	5																																																																																																																																																																																	
Fully packaged phytoplankton	6																																																																																																																																																																																	
No OCC Retrieval	7																																																																																																																																																																																	
QF7_VIIRSOCCEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>768</td> <td>768</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>3200</td> <td>3200</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	768	768	CrossTrack	No	No	3200	3200	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Ocean Color values (any band) out of range; 0= (1.0 <= nLw <= 40 W/m^2 micrometer sr); 1= out of range</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table> </td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table> </td> </tr> <tr> <td>Chlorophyll-a values out of range (Chlorophyll-a < 0.05 or Chlorophyll-a > 50)</td> <td>1</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table> </td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table> </td> </tr> <tr> <td>IOP-a values (any band) out of range (IOP-a < 0.01 or IOP-a > 10.0)</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table> </td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table> </td> </tr> <tr> <td>IOP-s values (any band) out of range (IOP-s < 0.01 or IOP-s > 50.0)</td> <td>3</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table> </td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Good</td> <td>0</td> </tr> <tr> <td>Poor</td> <td>1</td> </tr> </tbody> </table> </td> </tr> <tr> <td>Input Skin SST EDR Quality (Input Skin SST EDR Quality)</td> <td>4</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Good</td> <td>0</td> </tr> <tr> <td>Poor</td> <td>1</td> </tr> </tbody> </table> </td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Not Bright (bpfag <= 0.002)</td> <td>0</td> </tr> <tr> <td>Bright</td> <td>1</td> </tr> </tbody> </table> </td> </tr> <tr> <td>Exclusion - Bright Target Flag (The fraction of light into or out of cell exceeds threshold)</td> <td>5</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Not Bright (bpfag <= 0.002)</td> <td>0</td> </tr> <tr> <td>Bright</td> <td>1</td> </tr> </tbody> </table> </td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Not Bright (bpfag <= 0.002)</td> <td>0</td> </tr> <tr> <td>Bright</td> <td>1</td> </tr> </tbody> </table> </td> </tr> </tbody> </table>					Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Ocean Color values (any band) out of range; 0= (1.0 <= nLw <= 40 W/m^2 micrometer sr); 1= out of range	0			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	Chlorophyll-a values out of range (Chlorophyll-a < 0.05 or Chlorophyll-a > 50)	1			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	IOP-a values (any band) out of range (IOP-a < 0.01 or IOP-a > 10.0)	2			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	IOP-s values (any band) out of range (IOP-s < 0.01 or IOP-s > 50.0)	3			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Good</td> <td>0</td> </tr> <tr> <td>Poor</td> <td>1</td> </tr> </tbody> </table>	Name	Value	Good	0	Poor	1	Input Skin SST EDR Quality (Input Skin SST EDR Quality)	4			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Good</td> <td>0</td> </tr> <tr> <td>Poor</td> <td>1</td> </tr> </tbody> </table>	Name	Value	Good	0	Poor	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Not Bright (bpfag <= 0.002)</td> <td>0</td> </tr> <tr> <td>Bright</td> <td>1</td> </tr> </tbody> </table>	Name	Value	Not Bright (bpfag <= 0.002)	0	Bright	1	Exclusion - Bright Target Flag (The fraction of light into or out of cell exceeds threshold)	5			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Not Bright (bpfag <= 0.002)</td> <td>0</td> </tr> <tr> <td>Bright</td> <td>1</td> </tr> </tbody> </table>	Name	Value	Not Bright (bpfag <= 0.002)	0	Bright	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Not Bright (bpfag <= 0.002)</td> <td>0</td> </tr> <tr> <td>Bright</td> <td>1</td> </tr> </tbody> </table>	Name	Value	Not Bright (bpfag <= 0.002)	0	Bright	1
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																																																																																																												
		AlongTrack	Yes	No	768	768																																																																																																																																																																												
		CrossTrack	No	No	3200	3200																																																																																																																																																																												
		Datum																																																																																																																																																																																
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																																																																																																																							
		Ocean Color values (any band) out of range; 0= (1.0 <= nLw <= 40 W/m^2 micrometer sr); 1= out of range	0			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1																																																																																																																																																											
		Name	Value																																																																																																																																																																															
		False	0																																																																																																																																																																															
		True	1																																																																																																																																																																															
Name	Value																																																																																																																																																																																	
False	0																																																																																																																																																																																	
True	1																																																																																																																																																																																	
Chlorophyll-a values out of range (Chlorophyll-a < 0.05 or Chlorophyll-a > 50)	1			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1																																																																																																																																																													
Name	Value																																																																																																																																																																																	
False	0																																																																																																																																																																																	
True	1																																																																																																																																																																																	
Name	Value																																																																																																																																																																																	
False	0																																																																																																																																																																																	
True	1																																																																																																																																																																																	
IOP-a values (any band) out of range (IOP-a < 0.01 or IOP-a > 10.0)	2			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1																																																																																																																																																													
Name	Value																																																																																																																																																																																	
False	0																																																																																																																																																																																	
True	1																																																																																																																																																																																	
Name	Value																																																																																																																																																																																	
False	0																																																																																																																																																																																	
True	1																																																																																																																																																																																	
IOP-s values (any band) out of range (IOP-s < 0.01 or IOP-s > 50.0)	3			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Good</td> <td>0</td> </tr> <tr> <td>Poor</td> <td>1</td> </tr> </tbody> </table>	Name	Value	Good	0	Poor	1																																																																																																																																																													
Name	Value																																																																																																																																																																																	
False	0																																																																																																																																																																																	
True	1																																																																																																																																																																																	
Name	Value																																																																																																																																																																																	
Good	0																																																																																																																																																																																	
Poor	1																																																																																																																																																																																	
Input Skin SST EDR Quality (Input Skin SST EDR Quality)	4			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Good</td> <td>0</td> </tr> <tr> <td>Poor</td> <td>1</td> </tr> </tbody> </table>	Name	Value	Good	0	Poor	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Not Bright (bpfag <= 0.002)</td> <td>0</td> </tr> <tr> <td>Bright</td> <td>1</td> </tr> </tbody> </table>	Name	Value	Not Bright (bpfag <= 0.002)	0	Bright	1																																																																																																																																																													
Name	Value																																																																																																																																																																																	
Good	0																																																																																																																																																																																	
Poor	1																																																																																																																																																																																	
Name	Value																																																																																																																																																																																	
Not Bright (bpfag <= 0.002)	0																																																																																																																																																																																	
Bright	1																																																																																																																																																																																	
Exclusion - Bright Target Flag (The fraction of light into or out of cell exceeds threshold)	5			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Not Bright (bpfag <= 0.002)</td> <td>0</td> </tr> <tr> <td>Bright</td> <td>1</td> </tr> </tbody> </table>	Name	Value	Not Bright (bpfag <= 0.002)	0	Bright	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Not Bright (bpfag <= 0.002)</td> <td>0</td> </tr> <tr> <td>Bright</td> <td>1</td> </tr> </tbody> </table>	Name	Value	Not Bright (bpfag <= 0.002)	0	Bright	1																																																																																																																																																													
Name	Value																																																																																																																																																																																	
Not Bright (bpfag <= 0.002)	0																																																																																																																																																																																	
Bright	1																																																																																																																																																																																	
Name	Value																																																																																																																																																																																	
Not Bright (bpfag <= 0.002)	0																																																																																																																																																																																	
Bright	1																																																																																																																																																																																	

		Chlorophyll Algorithm Branching	6			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Carder algorithm with Carder empirical</td> <td>0</td> </tr> <tr> <td>Carder algorithm with OC3V default</td> <td>1</td> </tr> <tr> <td>OC3V algorithm</td> <td>2</td> </tr> <tr> <td>No Retrieval</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Carder algorithm with Carder empirical	0	Carder algorithm with OC3V default	1	OC3V algorithm	2	No Retrieval	3
Name	Value																			
Carder algorithm with Carder empirical	0																			
Carder algorithm with OC3V default	1																			
OC3V algorithm	2																			
No Retrieval	3																			

5.5.5.3 VIIRS Ocean Color Chlorophyll HDF5 Details

Figure 5.5.5.3-1, VIIRS Ocean Color Chlorophyll UML Diagram, provides details on the contents and data types of the Ocean Color Chlorophyll product. This UML provides details at the product level detail only. In addition to this UML, refer to the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Figure 1.2.1-1, Generalized UML Diagram for statically sized HDF5 IP/EDR Files, for a complete UML rendering of this product.

VIIRS-OCC-EDR
+Chlorophyll_a : H5T_NATIVE_FLOAT
+IOP_a_412nm : H5T_NATIVE_FLOAT
+IOP_a_445nm : H5T_NATIVE_FLOAT
+IOP_a_488nm : H5T_NATIVE_FLOAT
+IOP_a_555nm : H5T_NATIVE_FLOAT
+IOP_a_672nm : H5T_NATIVE_FLOAT
+IOP_s_412nm : H5T_NATIVE_FLOAT
+IOP_s_445nm : H5T_NATIVE_FLOAT
+IOP_s_488nm : H5T_NATIVE_FLOAT
+IOP_s_555nm : H5T_NATIVE_FLOAT
+IOP_s_672nm : H5T_NATIVE_FLOAT
+nLw_412nm : H5T_NATIVE_FLOAT
+nLw_445nm : H5T_NATIVE_FLOAT
+nLw_488nm : H5T_NATIVE_FLOAT
+nLw_555nm : H5T_NATIVE_FLOAT
+nLw_672nm : H5T_NATIVE_FLOAT
+QF1_VIIRSOCCEDR : H5T_NATIVE_UCHAR
+QF2_VIIRSOCCEDR : H5T_NATIVE_UCHAR
+QF3_VIIRSOCCEDR : H5T_NATIVE_UCHAR
+QF4_VIIRSOCCEDR : H5T_NATIVE_UCHAR
+QF5_VIIRSOCCEDR : H5T_NATIVE_UCHAR
+QF6_VIIRSOCCEDR : H5T_NATIVE_UCHAR
+QF7_VIIRSOCCEDR : H5T_NATIVE_UCHAR

Figure 5.5.5.3-1, VIIRS Ocean Color Chlorophyll HDF5 UML Diagram

5.5.5.4 VIIRS Ocean Color Chlorophyll HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Ocean Color Chlorophyll are listed in the JPSS CDFCB-X Vol. V, 474-00001-05. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.5.5.4-1, VIIRS Ocean Color Chlorophyll N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Surface Type EDR.

**Table 5.5.5.4-1, VIIRS Ocean Color Chlorophyll
N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
Values**

N_Quality_Summary			
Name	Value	Description	Notes
Overall Ocean Color Quality for M1 (412nm)	0 - 100	Percentage of high quality Ocean Color retrievals at M1 (412nm) within the granule	
Overall Ocean Color Quality for M2 (445nm)	0 - 100	Percentage of high quality Ocean Color retrievals at M2 (445nm) within the granule	
Overall Ocean Color Quality for M3 (488nm)	0 - 100	Percentage of high quality Ocean Color retrievals at M3 (488nm) within the granule	
Overall Ocean Color Quality for M4 (555nm)	0 - 100	Percentage of high quality Ocean Color retrievals at M4 (555nm) within the granule	
Overall Ocean Color Quality for M5 (672nm)	0 - 100	Percentage of high quality Ocean Color retrievals at M5 (672nm) within the granule	
Overall Chlorophyll a Concentration Quality	0 - 100	Percent of high quality Chlorophyll a Concentration retrievals within the granule	
Overall IOP-a Quality at M1 (412nm)	0 - 100	Percent of high quality IOP-a (Inherent Optical Properties - Absorption) retrievals at M1 (412nm) within the granule	
Overall IOP-a Quality at M2 (445nm)	0 - 100	Percent of high quality IOP-a (Inherent Optical Properties - Absorption) retrievals at M2 (445nm) within the granule	
Overall IOP-a Quality at M3 (488nm)	0 - 100	Percent of high quality IOP-a (Inherent Optical Properties - Absorption) retrievals at M3 (488nm) within the granule	
Overall IOP-a Quality at M4 (555nm)	0 - 100	Percent of high quality IOP-a (Inherent Optical Properties - Absorption) retrievals at M4 (555nm) within the granule	
Overall IOP-a Quality at M5 (672nm)	0 - 100	Percent of high quality IOP-a (Inherent Optical Properties - Absorption) retrievals at M5 (672nm) within the granule	

N_Quality_Summary			
Name	Value	Description	Notes
Overall IOP-s Quality at M1 (412nm)	0 - 100	Percent of high quality IOP-s (Inherent Optical Properties - Backscattering) retrievals at M1 (412nm) within the granule	
Overall IOP-s Quality at M2 (445nm)	0 - 100	Percent of high quality IOP-s (Inherent Optical Properties - Backscattering) retrievals at M2 (445nm) within the granule	
Overall IOP-s Quality at M3 (488nm)	0 - 100	Percent of high quality IOP-s (Inherent Optical Properties - Backscattering) retrievals at M3 (488nm) within the granule	
Overall IOP-s Quality at M4 (555nm)	0 - 100	Percent of high quality IOP-s (Inherent Optical Properties - Backscattering) retrievals at M4 (555nm) within the granule	
Overall IOP-s Quality at M5 (672nm)	0 - 100	Percent of high quality IOP-s (Inherent Optical Properties - Backscattering) retrievals at M5 (672nm) within the granule	
Exclusion Summary	0 - 100	Percent of pixels in one or more exclusion conditions	
Summary Ocean Color Range Check	0 - 100	Percent of Ocean Color Retrievals (all bands) that are out of expected range	
Summary Chlorophyll Concentration Range Check	0 - 100	Percent of Chlorophyll retrievals that are out of expected range	
Summary IOP-a Range Check	0 - 100	Percent of IOP-a (Inherent Optical Properties-Absorption) retrievals (all bands) that are out of expected range	
Summary IOP-s Range Check	0 - 100	Percent of IOP-s (Inherent Optical Properties-Backscattering) retrievals (all bands) that are out of expected range	
Exclusion - No Ocean Present	0 or 1	Granule contains no ocean coverage	0 = Ocean present 1 = No ocean present

5.5.5.5 VIIRS Ocean Color Chlorophyll EDR Geolocation Details

VIIRS Ocean Color Chlorophyll EDR is produced on the VIIRS Moderate Resolution Geolocation - Terrain Corrected. See the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Section 4.9.5, VIIRS Moderate Resolution Geolocation - Terrain Corrected for details.

5.5.6 DELETED

5.5.7 Sea Ice Characterization

Sea ice age is defined as the time that has passed since the formation of the surface layer of an ice covered region of the ocean. The content of the Sea Ice Characterization EDR is the typing of areas of sea ice by age.

5.5.7.1 DELETED

5.5.7.2 VIIRS Sea Ice Characterization

Data Mnemonic	EDRE-SICH-C1030 (Official) EDRE-SICH-C1031 (Substitute)
Description/ Purpose	Sea ice age is defined as the time that has passed since the formation of the surface layer of an ice covered region of the ocean. The content of the Sea Ice Characterization EDR is the typing of areas of sea ice by age. Sensors: VIIRS Effectivity: NPP and NPOESS
File-Naming Construct	See the JPSS CDFCB-X Vol. I, 474-00001-01, Section 3.4 for details.
File Size	Estimated Granule Size: 18.75 MiB This granule size includes Sea Ice Age related fields only and is based on a VIIRS granule size consisting of 48 scans. Metadata attributes are not included. Additional size added by HDF5 packaging is also not included.
File Format Type	HDF5
Data Content and Data Format	See Section 5.5.7.2.1, VIIRS Sea Ice Characterization Data Content Summary See Section 5.5.7.2.2, VIIRS Sea Ice Characterization Product Profile See Section 5.5.7.2.3, VIIRS Sea Ice Characterization HDF5 Details See Section 5.5.7.2.4, VIIRS Sea Ice Characterization HDF5 Metadata Details See Section 5.5.7.2.5, VIIRS Sea Ice Characterization Geolocation Data Content Summary

5.5.7.2.1 VIIRS Sea Ice Characterization Data Content Summary**Table 5.5.7.2.1-1, VIIRS Sea Ice Characterization Data Content Summary**

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
IceAgeWeight	Ice Age Weighting Factors derived from Ice Age LUT and scene conditions (fire, clouds,	32-bit floating point	[N*768, 3200]	[768, 3200]	unitless

Name	Description	Data Type	Aggregate Dimension (N = Number of Granules)	Granule Dimension	Units
	sunlint, I-Band quality, etc.)				
IceAge	Various classifications of ice for I1, I2, Surface Temperature IP, and weighted cell total	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF1_VIIRSSICEDR	Pixel level quality flags	unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF2_VIIRSSICEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless
QF3_VIIRSSICEDR		unsigned 8-bit char	[N*768, 3200]	[768, 3200]	unitless

5.5.7.2.2 VIIRS Sea Ice Characterization Product Profile

Table 5.5.7.2.2-1, VIIRS Sea Ice Characterization Product Profile

Fields												
Name	Data Size	Dimensions										
IceAgeWeight	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
		Datum										
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries
		Ice Age Weighting Factors derived from Ice Age LUT and scene conditions (fire, clouds, sunglint, I-Band quality, etc.)	0			unitless	No		32-bit floating point	Name	Value	Name Value
										NA_FLOAT32_FILL	-	
										MISS_FLOAT32_FILL	999.9	
										ONBOARD_PT_FLOAT32_FILL	-	
										ONGROUND_PT_FLOAT32_FILL	999.7	
ERR_FLOAT32_FILL	999.6											
ELINT_FLOAT32_FILL	-											
VDNE_FLOAT32_FILL	999.5											
IceAge	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
		Datum										
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries
		Various classifications of ice for I1, I2, Surface Temperature	0			unitless	No		unsigned 8-bit char	Name	Value	Name Value
										NA_UINT8_FILL	255	
										MISS_UINT8_FILL	254	
										ONBOARD_PT_UINT8_FILL	253	

IP, and weighted cell total	ONGROUND_PT_UINT8_FILL	252	Young Ice	
	ERR_UINT8_FILL	251	All Other Ice	4
	ELINT_UINT8_FILL	250	Land Fill	10
	VDNE_UINT8_FILL	249	Cloud Fill	12

Table 5.5.7.2.2-2, VIIRS Sea Ice Characterization Product Profile - Quality Flags

Fields														
Name	Data Size	Dimensions												
QF1_VIIRSSICED R	1byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size								
		AlongTrack	Yes	No	768	768								
		CrossTrack	No	No	3200	3200								
		Datum												
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries		
		Ice Age Overall Quality	0			unitless	No		2 bit(s)	Name Value	Name Value	Name Value	Name Value	
											Green (good quality)	0		
											Yellow (degraded quality)	1		
											Red (bad quality)	2		
											No Retrieval (Fill)	3		
Input Data Quality	2			unitless	No		1 bit(s)	Name Value	Name Value	Name Value	Name Value			
									Good	0				
									Bad	1				
Cloud Confidence	3			unitless	No		2 bit(s)	Name Value	Name Value	Name Value	Name Value			
									Confidently clear	0				
									Probably clear	1				
									Probably cloudy	2				
									Confidently cloudy	3				

		Thermal Contrast Degradation: 1.5K < Thermal contrast < 2.2K	5			unitless	No		1 bit(s)	Name Value	Name Value	False 0	True 1		
		Sea Ice Valid Region: Pixel is outside of valid region. Valid region is latitude > 36 degrees N or latitude > 50 degrees S	6			unitless	No		1 bit(s)	Name Value	Name Value	False 0	True 1		
		Exclusion: Aerosol Optical Thickness slant path at 550nm > 1.0	7			unitless	No		1 bit(s)	Name Value	Name Value	False 0	True 1		
QF2_VIIRSSICED R	1byte(s))	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size									
		AlongTrack	Yes	No	768	768									
		CrossTrack	No	No	3200	3200									
		Datum													
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries				
		Exclusion: Thermal Contrast < 1.5K	0			unitless	No		1 bit(s)	Name Value	Name Value	False 0	True 1		
		No Ice detected in horizontal cell (Ice concentration is <= 0.1)	1			unitless	No		1 bit(s)	Name Value	Name Value	False 0	True 1		
		Exclusion: No Ocean present in horizontal cell	2			unitless	No		1 bit(s)	Name Value	Name Value	False 0	True 1		
		Algorithm Branching	3			unitless	No		2 bit(s)	Name Value	Name	Value	Unclassified 0	RT:Reflectance Threshold Method 1	THB:Thermal Heat Balance Method 2
		Heavy Aerosol present in horizontal cell	5			unitless	No		1 bit(s)	Name Value	Name Value	False 0	True 1		
Spare	6			unitless	No		1 bit(s)	Name Value	Name Value						

		Thin Cirrus detected in horizontal cell	7			unitless	No		1 bit(s)	Name Value	Name Value	
											False 0 True 1	
QF3_VIIRSSICED R	1byte(s))	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
		Datum										
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	
		Shadow detected in horizontal cell	0			unitless	No		1 bit(s)	Name Value	Name Value	
											False 0 True 1	
		Cloud Phase	1			unitless	No		2 bit(s)	Name Value	Name Value	
											Clear 0 Water 1 Ice 2 Mixed 3	
		Fire detected in horizontal cell (from the VIIRS Cloud Mask)	3			unitless	No		1 bit(s)	Name Value	Name Value	
									False 0 True 1			
Sun Glint detected in horizontal cell	4			unitless	No		1 bit(s)	Name Value	Name Value			
									False 0 True 1			
Coast Line present within horizontal cell	5			unitless	No		1 bit(s)	Name Value	Name Value			
									False 0 True 1			
Spare	6			unitless	No		2 bit(s)	Name Value	Name Value			

5.5.7.2.3 VIIRS Sea Ice Characterization HDF5 Details

Figure 5.5.7.2.3-1, VIIRS Sea Ice Characterization UML Diagram, provides details on the contents and data types of the Sea Ice Characterization product. This UML provides details at the product level detail only. In addition to this UML, refer to the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Figure 1.2.1-1, Generalized UML Diagram for statically sized HDF5 IP/EDR Files, for a complete UML rendering of this product.

VIIRS-SIC-EDR
+IceAgeWeight : H5T_NATIVE_FLOAT
+IceAge : H5T_NATIVE_UCHAR
+QF1_VIIRSSICEDR : H5T_NATIVE_UCHAR
+QF2_VIIRSSICEDR : H5T_NATIVE_UCHAR
+QF3_VIIRSSICEDR : H5T_NATIVE_UCHAR

Figure 5.5.7.2.3-1, VIIRS Sea Ice Characterization HDF5 UML Diagram

5.5.7.2.4 VIIRS Sea Ice Characterization HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Sea Ice Characterization are listed in the JPSS CDFCB-X Vol. V, 474-00001-05. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.5.7.2.4-1, VIIRS Sea Ice Characterization N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Surface Type EDR.

**Table 5.5.7.2.4-1, VIIRS Sea Ice Characterization
 N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata
 Values**

N_Quality_Summary			
Name	Value	Description	Notes
Summary Ice Age Quality	0 - 100	Percent of horizontal cells within granule with high quality of retrieval	
Exclusion Summary	0 - 100	Percent of horizontal cells in exclusion conditions,	
Sea Ice Granule out of range	0	At least one pixel is in the valid region	
	1	Entire Granule is outside of valid region. Valid region is > +36 (36N) latitude OR < -50 (50S) latitude (Valid Region must also be over ocean)	
Exclusion - No Ocean Coverage	0	Ocean in horizontal cell	
	1	No Ocean in horizontal cell	

5.5.7.2.5 VIIRS Sea Ice Characterization Geolocation Details

VIIRS Sea Ice Age EDR is produced on the VIIRS Moderate Resolution Geolocation - Terrain Corrected. See the JPSS CDFCB-X, Vol. IV, Pt. 1, 474-00001-04-01, Section 4.9.5, VIIRS Moderate Resolution Geolocation - Terrain Corrected for details.

5.5.8 DELETED